



MICRO LOG

Company	PALOMINO PETROLEUM	
Well	BEAVER #1	
Field	BEAVER SOUTH	
County	BARTON	State KANSAS
Location:	API # : 15-009-26315-0000	Other Services CDL/CNL DIL
Permanent Datum	SEC 20 TWP 16S RGE 12W	Elevation
Log Measured From	GROUND LEVEL	K.B. 1932
Drilling Measured From	KELLY BUSHING 11' A.G.L.	D.F. 1930
	KELLY BUSHING	G.L. 1921
Date	11/11/21	
Run Number	TWO	
Depth Driller	3452	
Depth Logger	3452	
Bottom Logged Interval	3450	
Top Log Interval	2000	
Casing Driller	8 5/8" @ 456	
Casing Logger	456	
Bit Size	7 7/8"	
Type Fluid in Hole	CHEMICAL MUD	
Density / Viscosity	9.1/55	
pH / Fluid Loss	10.5/6.0	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	1.1 @ 60F	
Rmf @ Meas. Temp	.83 @ 60F	
Rmc @ Meas. Temp	1.32 @ 60F	
Source of Rmf / Rmc	MEASURED	
Rm @ BHT	.59 @ 111F	
Time Circulation Stopped	2 HOURS	
Time Logger on Bottom	////	
Maximum Recorded Temperature	111F	
Equipment Number	1523	
Location	HAYS, KANSAS	
Recorded By	GUS PFANENSTIEL	
Witnessed By	ANDREW STENZEL	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS:MIDDLE OF BEAVER(WEST OF OLD SCHOOL)






MAIN PASS


Database File	5891ddn.db
Dataset Pathname	pass1LAS
Presentation Format	_micro
Dataset Creation	Thu Nov 11 11:40:27 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		











2650

2700

2750

2800






2850


2900

2950

3000

3050







3100

3150

3200

3250







REPEAT SECTION

Database File 5891ddn.db
Dataset Pathname pass4.1
Presentation Format _micro
Dataset Creation Thu Nov 11 11:16:42 2021
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Database File		5891ddn.db		Calibration Report	
Dataset Pathname		pass4.1			
Dataset Creation		Thu Nov 11 11:16:42 2021			
MICRO Calibration Report					
Serial Number:		Micro1			
Tool Model:		ProbeL			
Performed:		Tue Oct 26 10:40:04 2021			
Caliper Calibration:		Gain=3.675		Offset=3.625	
References		Low Cal		High Cal	
Readings		8.500		13.500	
		1.196		2.557	
1.5" Calibration:		Gain=36.134		Offset=0.000	
References		Low Cal		High Cal	
Readings		0.000		20.000	
		0.004		0.832	
2" Calibration:		Gain=38.000		Offset=0.000	
References		Low Cal		High Cal	
Readings		0.000		20.000	
		0.022		0.793	
Gamma Ray Calibration Report					
Serial Number:		GR5			
Tool Model:		OPEN			
Performed:		Fri Oct 01 08:18:05 2021			
Calibrator Value:		1.0		GAPI	
Background Reading:		0.0		cps	
Calibrator Reading:		1.0		cps	
Sensitivity:		0.6000		GAPI/cps	