



RAG
LOG

Company PALOMINO PETROLEUM
Well BEAVER #1
Field BEAVER SOUTH
County BARTON State KANSAS

Location: API #: 15-009-26315-0000

763' FSL & 590' FEL

SEC 20 TWP 16S RGE 12W

Other Services
CDL/CNL
ML

Permanent Datum GROUND LEVEL Elevation 1921
Log Measured From KELLY BUSHING 11' A.G.L.
Drilling Measured From KELLY BUSHING

Elevation
K.B. 1932
D.F. 1930
G.L. 1921

Date	11/11/21		
Run Number	ONE		
Depth Driller	3452		
Depth Logger	3452		
Bottom Logged Interval	3450		
Top Log Interval	2000		
Casing Driller	8 5/8" @ 456		
Casing Logger	456		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.1/55		
pH / Fluid Loss	10.5/6.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.1 @ 60F		
Rmf @ Meas. Temp	.83 @ 60F		
Rmc @ Meas. Temp	1.32 @ 60F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.59 @ 111F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	111F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	ANDREW STENZEL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395

DIRECTIONS:MIDDLE OF BEAVER(WEST OF OLD SCHOOL)

Database File 5891ddn.db
Dataset Pathname pass30.3
Presentation Format rag
Dataset Creation Thu Nov 11 09:39:04 2021
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV		NEUTRON
-100	SP (mV)	100	10 (ft3)	0	GUARD
6	CALIPER (in)	16	TBHV		
			0 (ft3)	10	





2200


2250

2300

2350

2400






2450

2500

2550

2600






2650


2700

2750

2800

2850







2900

2950

3000

3050





3100

3150

3200

3250

3300

