

SONIC LOG

Company	BLAKE EXPLORATION, LLC.	Company	BLAKE EXPLORATION, LLC.
Well	TREXLER #6	Well	TREXLER #6
Field	LESAGE NORTHWEST	Field	LESAGE NORTHWEST
County	GRAHAM	County	GRAHAM
State	KANSAS	State	KANSAS
Location:	API # : 15-065-24212-0000	Other Services CDL/CNL DIL/MEL	
Permanent Datum	GROUND LEVEL	Elevation	2177
Log Measured From	KELLY BUSHING 8' A.G.L.		
Drilling Measured From	KELLY BUSHING		
SEC 1	TWP 7S	RGE	21W
950' FNL & 2225' FEL			
NE - SW - NW - NE			
SEC 1	TWP 7S	RGE	21W
GROUND LEVEL		Elevation	2177
KELLY BUSHING 8' A.G.L.			
KELLY BUSHING			
DATE	2/11/22		
Run Number	TWO		
Depth Driller	3698		
Depth Logger	3698		
Bottom Logged Interval	3690		
Top Log Interval	200		
Casing Driller	8 5/8"@221'		
Casing Logger	221		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES	1,400 PPM
Density / Viscosity	9.0/54		
pH / Fluid Loss	11.0/6.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.35@55F		
Rmf @ Meas. Temp	1.01@55F		
Rmc @ Meas. Temp	1.62@55F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.657@113F		
Time Circulation Stopped	3.5 HOURS		
Time Logger on Bottom	5.15 P.M.		
Maximum Recorded Temperature	113F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	MIKE DAVIGNON		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-065-24212-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
(HWY 24 & DAMAR BLKTOP), 6N. TO "RD. G", 2W., S. INTO






MAIN SECTION


Database File	5947ddn.db
Dataset Pathname	pass6.4
Presentation Format	slt
Dataset Creation	Fri Feb 11 18:52:09 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			











850


900


950


1000












1700


1750

1800

1850

1900







1950


2000


2050

2100











2600

2650

2700

2750






2800


2850

2900

2950

3000







3050

3100

3150

3200






3250


3300

3350

3400

3450





3500

3550


3600


5.5" ABHV

3650

TBHV →

← FR GR





REPEAT SECTION

Database File 5947ddn.db
 Dataset Pathname pass5.4
 Presentation Format slt
 Dataset Creation Fri Feb 11 18:13:07 2022
 Charted by Depth in Feet scaled 1:240

