



DUAL INDUCTION LOG

Company REDBUD OIL & GAS OPERATING,LLC
 Well McMILLIN 2-10
 Field CHEROKEE BASIN COAL
 County MONTGOMERY
 State KANSAS

Company REDBUD OIL & GAS OPERATING,LLC
 Well McMILLIN 2-10
 Field CHEROKEE BASIN COAL
 County MONTGOMERY State KANSAS

Location: SE NW/NW/NE
 375' FNL & 2143' FEL
 SEC 10 TWP 33S RGE 16E
 Permanent Datum GL Elevation 783
 Log Measured From GL
 Drilling Measured From GL
 Other Services CDLN
 Elevation K.B. D.F. G.L. 783

Date	11-9-21
Run Number	ONE
Depth Driller	1125
Depth Logger	1124
Bottom Logged Interval	1121
Top Log Interval	SURFACE
Casing Driller	8.625" @ 42'
Casing Logger	8.625" @ 42'
Bit Size	6.75"
Type Fluid in Hole	WATER
Density / Viscosity	
pH / Fluid Loss	
Source of Sample	
Rm @ Meas. Temp	
Rmf @ Meas. Temp	
Rmc @ Meas. Temp	
Source of Rmf / Rmc	
Rm @ BHT	
Time Circulation Stopped	4:00 PM
Time Logger on Bottom	7:15 PM
Maximum Recorded Temperature	90
Equipment Number	OW2
Location	HOMINY, OK
Recorded By	MACKEY
Witnessed By	MR.BARKS
	KIDD
	TAFIT

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


FILE # OW2-8905 REDBUD
 THANK YOU FOR USING OSAGE WIRELINE







2" DUAL INDUCTION LOG

Database File ow2-8905 redbud.db
 Dataset Pathname pass3.1
 Presentation Format mmdil2
 Dataset Creation Tue Nov 09 20:22:42 2021
 Charted by Depth in Feet scaled 1:600

0	GR (GAPI)	150	DEVI	1000	CILD (mmho/m)	0
			0 (deg) 10	1000	CILM (mmho/m)	0
				0	RLL3 (Ohm-m)	50
				0	RILM (Ohm-m)	50
				0	RILD (Ohm-m)	50












5" DUAL INDUCTION LOG


Database File ow2-8905 redbud.db
 Dataset Pathname pass3.2
 Presentation Format mmdil5
 Dataset Creation Tue Nov 09 20:23:33 2021
 Charted by Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	DEVI	0.2	Shallow Resistivity (Ohm-m)	2000
			0 (deg) 10	0.2	Deep Resistivity (Ohm-m)	2000
				0.2	Medium Resistivity (Ohm-m)	2000
				DEVI (deg)		









600

650

700

750


1.78

2.45

3.81

2.52





800

850

900

950

1000


3.07


2.55

0.89


2.35

1.96





Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			Cable-CableHead Isulation Sub	1.42	3.00	20.00



Dataset: ow2-8905 redbud.db: field/well/run1/pass3
 Total length: 22.78 ft
 Total weight: 415.00 lb
 O.D.: 4.00 in