

SONIC
LOG



Company DARRAH OIL COMPANY, LLC.

Well ELLIOT #1-11

Field UNAMED

County OSBORNE State KANSAS

Location: API #: 15-141-20492-0000

404' FSL & 2410' FWL
NE SE SE SW

SEC 11 TWP 10S RGE 14W

Permanent Datum GROUND LEVEL Elevation 1966

Log Measured From KELLY BUSHING 5' A.G.L

Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL/PE
DIL/MEL

Elevation

K.B. 1971
D.F. 1969
G.L. 1966

Date	12/21/21
Run Number	TWO
Depth Driller	3939
Depth Logger	3938
Bottom Logged Interval	3928
Top Log Interval	200
Casing Driller	8 5/8" @ 220
Casing Logger	220
Bit Size	7 7/8
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	N/A
pH / Fluid Loss	N/A
Source of Sample	FLOWLINE
Rm @ Meas. Temp	.59 @ 62F
Rmf @ Meas. Temp	.44 @ 62F
Rmc @ Meas. Temp	.70 @ 62F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	.31 @ 115F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	////
Maximum Recorded Temperature	115F
Equipment Number	3802
Location	HAYS, KANSAS
Recorded By	JASON CAPPELLUCCI
Witnessed By	SEAN DEENIHAN
	TJ DREILING

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
LURAY, KS. - 5 NORTH TO RD. 412 - 6 WEST TO CURVE NORTH 1 MILE
BACK WEST 3 1/2 MILES - SOUTH INTO




MAIN SECTION

Database File 6070pe.db
 Dataset Pathname pass7
 Presentation Format _slt
 Dataset Creation Tue Dec 21 17:01:53 2021
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20	
			0 (ft3)	10			






400

450

500

550





400


450


500

550











1300



1350


1400


1450




















2600


2650


2700


2750













3500


3550

3600

3650










REPEAT SECTION

Database File 6070pe.db
 Dataset Pathname pass6.1
 Presentation Format _slt
 Dataset Creation Tue Dec 21 17:10:49 2021
 Charted by Depth in Feet scaled 1:240





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			