

SONIC LOG

Company	STELBAR OIL CORPORATION, INC.	Location:	API # : 15-069-20512-0000	Other Services CNL/CDL PE/DIL MEL
Well	STAUTH FOUNDATION #1-31	County	GRAY	State
Field	UNNAMED	County	GRAY	State
County	GRAY	State	KANSAS	
Permanent Datum	SEC 31 TWP 27S RGE 30W	Log Measured From	GROUND LEVEL Elevation 2823	Elevation
Drilling Measured From	335' FSL & 335' FEL		KELLY BUSHING 11' A.G.L	K.B. 2834 D.F. 2832 G.L. 2823
Run Number	2122/22			
Depth Driller	5409			
Depth Logger	5408			
Bottom Logged Interval	5398			
Top Log Interval	1750			
Casing Driller	8 5/8" @ 1788			
Casing Logger	1788			
Bit Size	7 7/8			
Type Fluid in Hole	CHEMICAL MUD		CHLORIDES 2100 PPM	
Density / Viscosity	9.2/54			
pH / Fluid Loss	10.0/7.6			
Source of Sample	FLOWLINE			
Rm @ Meas. Temp	1.5@56F			
Rmf @ Meas. Temp	1.125@56F			
Rmc @ Meas. Temp	1.8@56F			
Source of Rmf / Rmc	MEASUREMENT			
Rm @ BHT	.65@129F			
Time Circulation Stopped	2 HOURS			
Time Logger on Bottom	////			
Maximum Recorded Temperature	129F			
Equipment Number	3802			
Location	HAYS, KANSAS			
Recorded By	JASON CAPPELLUCCI		TJ DREILING	
Witnessed By	DAVE GOLDAK		PRESTON DOLL	


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS


-COPELAND KANSAS, WEST SIDE OF TOWN, -2 RD. NORTH 7-1/2 MILES TO "Y" RD.
- WEST INTO JUST NORTH OF THE INTERSECTION




MAIN SECTION

Database File	6245pe.db
Dataset Pathname	pass6.2
Presentation Format	_slt
Dataset Creation	Tue Feb 22 19:52:51 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			








1950


2000

2050

2100









2400


2450

2500

2550










2850

2900

2950

3000








3050


3100


3150

3200











3700


3750


3800

3850

3900









4150


4200

4250

4300









4600


4650

4700

4750









5050

5100

5150

5200





REPEAT SECTION

REF LAY SECTION

Database File 6245pe.db
 Dataset Pathname pass5.1
 Presentation Format _slt
 Dataset Creation Tue Feb 22 19:41:46 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

