



TRIPLE COMBO LOG

Company SHAKESPEARE OIL COMPANY INC.

Well TRACTOR #2-13

Field BECKLEY

County SCOTT State KANSAS

Location: API #: 15-171-21286-0000

1070' FNL & 1220' FEL
SW - SW - NE - NE

SEC 13 TWP 18S RGE 32W

Permanent Datum GROUND LEVEL Elevation 2960
Log Measured From KELLY BUSHING 11' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL,CNL,PE
DIL/MEL
Elevation
K.B. 2971
D.F. 2969
G.L. 2960

Date 4/10/22

Run Number ONE

Depth Driller 4640

Depth Logger 4640

Bottom Logged Interval 4638

Top Log Interval 3600

Casing Driller 8 5/8"@265'

Casing Logger 265'

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.3/67

pH / Fluid Loss 10.5/8.0

Source of Sample FLOWLINE

Rm @ Meas. Temp 1.30@70F

Rmf @ Meas. Temp 0.98@70F

Rmc @ Meas. Temp 1.56@70F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT 0.75@122F

Time Circulation Stopped 3 HOURS

Time Logger on Bottom 5.00 A.M.

Maximum Recorded Temperature 122F

Equipment Number 922339

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By KENT MATSON

CHLORIDES 2000 PPM

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


15-171-21286-0000


Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
SCOTT CITY KS. 5 E ON HWY 96 TO RODEO RD, 3/4 N AND W INTO


Database File 6326pe.db
Dataset Pathname pass3.1L
Presentation Format obrcompcol
Dataset Creation Sun Apr 10 08:47:06 2022
Charted by Depth in Feet scaled 1:240


0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10	
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10	
-200	RxoRt	100	0	20	0.2	Shallow Resistivity (Ohm-m)	200	0	PE	20
6	DCAL (in)	16	MEL20						RHOC	
6	MELCAL (in)	16	(Ohm-m)						-0.25 (g/cc)	0.25
			0	20						











0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10	
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10	
-200	RxoRt	100	0	20	0.2	Shallow Resistivity (Ohm-m)	200	0	PE	20
6	DCAL (in)	16	MEL20						RHOC	
6	MELCAL (in)	16	(Ohm-m)						-0.25 (g/cc)	0.25

