



SONIC LOG

Company McCoy Petroleum Corporation
 Well GAEDINER "A" #1-4
 Field SLATE CREEK NORTH
 County SUMNER
 State KANSAS

Company McCoy Petroleum Corporation
 Well GAEDINER "A" #1-4
 Field SLATE CREEK NORTH
 County SUMNER State KANSAS

Location: API #: 15-191-22837-0000
 990' FNL & 1650' FEL
 SE-NW-NE
 SEC 4 TWP 33S RGE 2E
 Permanent Datum GROUND LEVEL Elevation: 1152
 Log Measured From KELLY BUSHING 12' A.G.L.
 Drilling Measured From KELLY BUSHING
 Other Services
 CNL/CDL/PE
 DIL/MEL
 Elevation
 K.B. 1164
 D.F. 1162
 G.L. 1152


Date	3/14/22	
Run Number	TWO	
Depth Driller	3450	
Depth Logger	3451	
Bottom Logged Interval	3441	
Top Log Interval	253	
Casing Driller	8 5/8" @ 273	
Casing Logger	273	
Bit Size	7 7/8	
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 1800 PPM
Density / Viscosity	9.5/62	
pH / Fluid Loss	11.0/7.3	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	1.5 @ 60F	
Rmt @ Meas. Temp	1.13 @ 60F	
Rmc @ Meas. Temp	1.8 @ 60F	
Source of Rmf / Rmc	MEASUREMENT	
Rm @ BHT	81 @ 111F	
Time Circulation Stopped	2 HOURS	
Time Logger on Bottom	////	
Maximum Recorded Temperature	111F	
Equipment Number	3802	
Location	HAYS, KANSAS	
Recorded By	TJ DREILING	
Witnessed By	TOM PRONOLD	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
 DIRECTIONS
 -WELLINGTON KS, EAST ON HIGHWAY 160, 7 MILES TO WEBB RD.
 -SOUTH 6 MILES TO ROAD 50, -EAST 1/2 MILE.
 -SOUTH INTO






MAIN SECTION


Database File 6250pe.db
 Dataset Pathname pass7.1
 Presentation Format _slt
 Dataset Creation Mon Mar 14 14:06:03 2022
 Charted by Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20	
			0 (ft3)	10			

























1950 1955 1960 1965 1970 1975 1980

















2900
2950
3000
3050







REPEAT SECTION

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

