



MICRO LOG

Company JASPAR CO. INC.
 Well LARRY #2
 Field WANKER
 County ROOKS State KANSAS

Location: API #: 15-163-24450-0000
 330' FSL & 1650' FEL
 SE/SW/SE
 SEC 20 TWP 9S RGE 19W
 Permanent Datum GROUND LEVEL Elevation 2167
 Log Measured From KELLY BUSHING 7' A.G.L
 Drilling Measured From KELLY BUSHING
 Other Services CNL/CDL DIL
 Elevation K.B. 2174 D.F. 2172 G.L. 2167


Date	4/19/22
Run Number	TWO
Depth Driller	3700
Depth Logger	3699
Bottom Logged Interval	3697
Top Log Interval	3050
Casing Driller	8 5/8" @ 223
Casing Logger	223
Bit Size	7 7/8
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.1/70
PH / Fluid Loss	9.5/8.4
Source of Sample	FLOWLINE
Rm @ Meas. Temp	1.2@70F
Rmt @ Meas. Temp	.9@70F
Rmc @ Meas. Temp	1.44@70F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	.74@113F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	////
Maximum Recorded Temperature	113F
Equipment Number	3802
Location	HAYS, KANSAS
Recorded By	TJ DREILING
Witnessed By	CAMERON BRIN

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
 DIRECTIONS
 -ZURICH KANSAS, NORTH 1 MILE, -WEST 1-1/4 MILE,
 -NORTH INTO BY TANK BATTERIES





MAIN SECTION



Database File 6389ddn.db
 Dataset Pathname pass6.1
 Presentation Format _micro
 Dataset Creation Wed Apr 20 02:41:53 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		











REPEAT SECTION

Database File 6389ddn.db
 Dataset Pathname pass5.1
 Presentation Format _micro
 Dataset Creation Wed Apr 20 02:42:24 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			





Calibration Report

Database File 6389ddn.db
 Dataset Pathname pass6.1
 Dataset Creation Wed Apr 20 02:41:53 2022

MICRO_USR Calibration Report

Serial Number: 070910
 Tool Model: Probel
 Performed: Sun Jan 23 09:07:22 2022

Caliper Calibration: Gain=7.276 Offset=2.671

	Low Cal	High Cal
References	8.000	14.000
Readings	0.732	1.557

1.5" Calibration: Gain=35.000 Offset=1.000

	Low Cal	High Cal
References	0.000	20.000
Readings	0.004	1.335

2" Calibration:

Gain=65.000

Offset=-1.000

References
Readings

Low Cal
0.000
0.004

High Cal
20.000
1.029

Microlog Calibration Report

Serial-Model:
Performed:

070910-ProbeL
(Not Performed)

Readings

References

Results

Zero

Cal

Zero

Cal

m

b

Normal
Inverse
Caliper

0.0000
0.0000
0.0000

1.0000
1.0000
1.0000

V
V
V

0.0000
0.0000
0.0000

1.0000
1.0000
1.0000

Ohm-m
Ohm-m
in

1.0000
1.0000
1.0000

0.0000
0.0000
0.0000

Gamma Ray Calibration Report

Serial Number:
Tool Model:
Performed:

070558
Probe1
Fri Oct 30 21:32:56 2020

Calibrator Value:

1.0

GAPI

Background Reading:
Calibrator Reading:

0.0
1.0

cps
cps

Sensitivity:

0.2700

GAPI/cps