

MICRO LOG

Company RAYDON EXPLORATION
 Well KREHBIEL #1-21
 Field UNNAMED
 County FINNEY State KANSAS

Location: API #: 15-055-22550-0000
 1980' FSL & 660' FEL
 SEC 21 TWP 21S RGE 33W
 Permanent Datum GROUND LEVEL Elevation: 2909
 Log Measured From KELLY BUSHING 9' A.G.L
 Drilling Measured From KELLY BUSHING
 Other Services CDL/CNL/PE DIL/SON
 Elevation K.B. 2918 D.F. 2916 G.L. 2909


Date	2/13/22
Run Number	TWO
Depth Driller	5100
Depth Logger	5100
Bottom Logged Interval	5082
Top Log Interval	3600
Casing Driller	8 5/8" @ 1810
Casing Logger	1810
Bit Size	7 7/8
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.2/65
PH / Fluid Loss	10.5/6.0
Source of Sample	FLOWLINE
Rm @ Meas. Temp	1.0@60F
Rmt @ Meas. Temp	.75@60F
Rmc @ Meas. Temp	1.2@60F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	.47@127
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	////
Maximum Recorded Temperature	126F
Equipment Number	3802
Location	HAYS, KANSAS
Recorded By	JASON CAPPELLUCCI
Witnessed By	ED GRIEVES
	TJ DREILING

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
 DIRECTIONS
 -SCOTT CITY KANSAS SOUTH ON HIGHWAY 83 TO GANO ROAD,
 -WEST 3 MILES TO SHERLOCK ROAD, -1 1/4 MILE NORTH,
 -WEST INTO





MAIN SECTION


Database File 6239pe.db
 Dataset Pathname pass7.1
 Presentation Format _micro
 Dataset Creation Mon Feb 14 03:46:17 2022
 Charted by Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		


















		LTD 5100			
0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m) 40
6	CALIPER (in)	16	10 (ft3) 0 0	0	MEL2.0 (Ohm-m) 40
		TBHV			
		0 (ft3) 10			





REPEAT SECTION

Database File 6239pe.db
 Dataset Pathname pass6.1
 Presentation Format _micro
 Dataset Creation Mon Feb 14 03:27:25 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m) 40
6	CALIPER (in)	16	10 (ft3) 0 0	0	MEL2.0 (Ohm-m) 40
		TBHV			
		0 (ft3) 10			







0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft ³)	0 0	MEL2.0 (Ohm-m)	40

TBHV
0 (ft3) 10

Calibration Report

Database File 6239pe.db
 Dataset Pathname pass7.1
 Dataset Creation Mon Feb 14 03:46:17 2022

MICRO_USR Calibration Report

Serial Number:	070911	
Tool Model:	ProbeL	
Performed:	Tue Dec 21 16:59:08 2021	
Caliper Calibration:	Gain=3.755	Offset=1.850
References	Low Cal 8.000	High Cal 14.000
Readings	1.451	3.049
1.5" Calibration:	Gain=55.000	Offset=-0.700
References	Low Cal 0.000	High Cal 20.000
Readings	0.004	0.843
2" Calibration:	Gain=50.000	Offset=-0.650
References	Low Cal 0.000	High Cal 20.000
Readings	0.021	0.810

Microlog Calibration Report

Serial-Model: 070911-ProbeL
 Performed: Sat Apr 11 01:13:01 2015

	Readings			References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0002	0.4836	V	0.0000	10.0000	Ohm-m	20.6908	-0.0051
Inverse	0.0018	0.6297	V	0.0000	10.0000	Ohm-m	15.9263	-0.0282
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000

Gamma Ray Calibration Report

Serial Number:	070558	
Tool Model:	Probe1	
Performed:	Fri Oct 30 21:32:56 2020	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2700	GAPI/cps