



**QUAD
COMBO
LOG**

Company RAYDON EXPLORATION
 Well KREHBIEL #1-21
 Field UNNAMED
 County FINNEY State KANSAS

Location: API #: 15-055-22550-0000
 1980' FSL & 660' FEL
 SEC 21 TWP 21S RGE 33W
 Permanent Datum GROUND LEVEL Elevation 2909
 Log Measured From KELLY BUSHING 9' A.G.L
 Drilling Measured From KELLY BUSHING
 Other Services
 CDL/CNL/PE
 DIL/SON
 MEL
 Elevation
 K.B. 2918
 D.F. 2916
 G.L. 2909

Date	2/13/22		
Run Number	TWO		
Depth Driller	5100		
Depth Logger	5100		
Bottom Logged Interval	5098		
Top Log Interval	3600		
Casing Driller	8 5/8" @ 1810		
Casing Logger	1810		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4000	
Density / Viscosity	9.2/65		
pH / Fluid Loss	10.5/6.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.0@60F		
Rmt @ Meas. Temp	.75@60F		
Rmc @ Meas. Temp	1.2@60F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.47@127		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	126F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI	TJ DREILING	
Witnessed By	ED GRIEVES		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
 DIRECTIONS
 -SCOTT CITY KANSAS SOUTH ON HIGHWAY 83 TO GANO ROAD,
 -WEST 3 MILES TO SHERLOCK ROAD, -1 1/4 MILE NORTH,
 -WEST INTO


Database File 6239pe.db
 Dataset Pathname passM
 Presentation Format obrcompcol
 Dataset Creation Mon Feb 14 04:22:57 2022
 Charted by Depth in Feet scaled 1:240


0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	Sonic Porosity (pu)	-10	
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10	
-200	RxoRt	100	0	20	0.2	Shallow Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10
6	DCAL (in)	16	MEL20				0	PE	20	
6	MELCAL (in)	16	(Ohm-m)						RHOC	
			0	20					-0.25 (g/cc)	0.25
			TBHV (ft3)							
			ABHV (ft3)							


















4900

4950

5000

5050

5100



0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	Sonic Porosity (pu)	-10
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10
-200	RxoRt	100	0	20	0.2	Shallow Resistivity (Ohm-m)	200	30	Density Porosity (pu)
6	DCAL (in)	16	MEL20				0	PE	20
6	MELCAL (in)	16	(Ohm-m)					RHOC	
			0	20				-0.25 (g/cc)	0.25
			TBHV (ft3)						
			ABHV (ft3)						