

SONIC LOG

Company I A OPERATING, INC.

Well CLOCK #3-1

Field CONKLING

County PAWNEE State KANSAS

Location: API #: 15-145-21870-0000

1455' FSL & 383' FWL
SW - NW - SW

SEC 3 TWP 20S RGE 18W

Permanent Datum GROUND LEVEL Elevation 2180
Log Measured From KELLY BUSHING 8' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL/PE
DIL/MEL

Elevation
K.B. 2188
D.F. 2186
G.L. 2180

Date 5/29/22

Run Number TWO

Depth Driller 4109

Depth Logger 4110

Bottom Logged Interval 4102

Top Log Interval 1200

Casing Driller 8 5/8"@1283'

Casing Logger 1283

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.2/55

pH / Fluid Loss 10.5/6.4

Source of Sample FLOWLINE

Rm @ Meas. Temp .510@80F

Rmf @ Meas. Temp .383@80F

Rmc @ Meas. Temp .612@80F

Source of Rmf / Rmc MEASURED

Rm @ BHT .349@117F

Time Circulation Stopped 4 HOURS

Time Logger on Bottom 6:00 A.M.

Maximum Recorded Temperature 117F

Equipment Number 8916

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS


Witnessed By JEFF LAWLER

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395
DIRECTIONS:
RUSH CENTER, KS. (4 WAY STOP) 8 1/2S. ON HWY 183, E. INTO




MAIN SECTION

Database File	6559pe.db
Dataset Pathname	pass6.4
Presentation Format	_slt
Dataset Creation	Sun May 29 07:38:50 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	MELCAL (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			







1400

1450


1500


1550









1600
1650
1700
1750
1800















2700


2750



2800


2850


2900













3600

3650

3700

3750






3800


3850

3900

3950

4000





REPEAT SECTION

Database File 6559pe.db
 Dataset Pathname pass5.1
 Presentation Format _slt
 Dataset Creation Sun May 29 07:00:10 2022
 Charted by Depth in Feet scaled 1:240

