



MICRO
LOG


Company		PALOMINO PETROLEUM, INC.	
Well		#1 TOMAHAWK	
Field		BUTTERFIELD-OVERLAND NORTH	
County		GOVE	
State		KANSAS	
Location:		API # : 15-063-22406-00-00 436' FSL & 425' FEL	
Permanent Datum		GROUND LEVEL Elevation 2800	
Log Measured From		KELLY BUSHING 11' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 20 TWP 14S RGE 30W		Elevation K.B. 2811 D.F. 2809 G.L. 2800	
Date	5/21/22		
Run Number	TWO		
Depth Driller	4620		
Depth Logger	4621		
Bottom Logged Interval	4619		
Top Log Interval	3800		
Casing Driller	8 5/8"@214'		
Casing Logger	230		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3400 PPM	
Density / Viscosity	9.4/62		
pH / Fluid Loss	11.0/7.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.70@65F		
Rmf @ Meas. Temp	1.28@65F		
Rmc @ Meas. Temp	2.04@65F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.906@122F		
Time Circulation Stopped	4.5 HOURS		
Time Logger on Bottom	12:30 A.M.		
Maximum Recorded Temperature	122F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBEN	TJ DREILING	
Witnessed By	RYAN SEIB		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
GOVE KS. SOUTH TO ROAD I, WEST 9 MILES, NORTH INTO





MAIN SECTION

Database File	6531.db
Dataset Pathname	pass7.8
Presentation Format	_micro
Dataset Creation	Sat May 21 01:57:55 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		








4200


4250

4300


4350

4400






0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			




REPEAT SECTION

Database File 6531.db
Dataset Pathname pass6.1
Presentation Format _micro
Dataset Creation Sat May 21 02:10:36 2022
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			





Calibration Report						
Database File	6531.db					
Dataset Pathname	pass7.8					
Dataset Creation	Sat May 21 01:57:55 2022					
MICRO_USR Calibration Report						
Serial Number:	070910					
Tool Model:	ProbeL					
Performed:	Tue May 17 08:13:59 2022					
Caliper Calibration:	Gain=7.212	Offset=2.585				
References	Low Cal	High Cal				
Readings	8.000	14.000				
	0.725	1.557				
1.5" Calibration:	Gain=30.000	Offset=3.500				
References	Low Cal	High Cal				
Readings	0.000	20.000				
	0.004	1.335				
2" Calibration:	Gain=58.000	Offset=1.500				
References	Low Cal	High Cal				
Readings	0.000	20.000				
	0.004	1.029				
Microlog Calibration Report						
Serial-Model:	070910-ProbeL					
Performed:	(Not Performed)					
	Readings		References		Results	
	Zero	Cal	Zero	Cal	m	b
Normal	0.0000	1.0000	V	0.0000	1.0000	0.0000
					Ohm-m	

Inverse	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000
Gamma Ray Calibration Report								
Serial Number:			070558					
Tool Model:			Probe1					
Performed:			Tue May 17 15:23:49 2022					
Calibrator Value:			1.0	GAPI				
Background Reading:			0.0	cps				
Calibrator Reading:			1.0	cps				
Sensitivity:			0.2200	GAPI/cps				