

		Sonic Cement Bond Log	
API No. 15-187-21348-0000		Company Stelbar Oil Corporation Well Cheyenne # 3-35 Field Beauchamp Southwest County Stanton State Kansas	
Location 1649' FNL & 1961' FWL		Other Services Mast	
Sec: 35 Twp: 30S Rge: 41W		Elevation K.B. 3397' D.F. 3395' G.L. 3386'	
Permanent Datum Log Measured From Drilling Measured From	Ground Level Kelly Bushing Kelly Bushing	Elevation 3386' 1' Ft. Above Perm. Datum	
Run Number	Two		
Date Survey	04/07/2022		
Date Cementing	///		
Type Cementing Operation	Primary		
Depth Driller	5590'		
Depth Logger	4178'		
Logged Interval	4178' to 2250'		
Casing Driller	5.5" @ 4228'		
Float Collar -- D.V. Tool	///		
Squeeze Depth	///		
Amount & Type Cement	///		
Amount & Type Admix	///		
Type Fluid In Hole	Water		
Fluid Level	50'		
Salinity PPM CL	///		
Weight lb/gal -- Vis.	///		
Approx. Logged Cement Top	2490'		
Calculated Cement Top	2490'		
Max. Hole Temperature	///		
Tool No.	DIG1		
Spacing Recorded	3-5		
Equipment -- Location	Unit #10 Liberal		
Recorded By	K. Coleman		
Witnessed By	Dustin Damme		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Excel Wireline (620) 388-5676


 Marker Joint @ 3318 - 3340
 Johnson City, Ks. - South on hwy. 27 to Stanton/Morton Co. Line
 3/4 West on rd "DD" - 3/4 to tank battery
 East 0.1 past pump jack - .3 South into





MAIN LOG PASS


Database File	stelbar cheyenne 3-35cbl.db
Dataset Pathname	pass6.1
Presentation Format	excel
Dataset Creation	Thu Apr 07 17:03:58 2022
Charted by	Depth in Feet scaled 1:240


0	Gamma Ray (GAPI)	150	amp3ft	8	CCL\$1	-1	200	Variable Density (usec)	1200
3000	LTEN (lb)	0	(mV)		Amplitude				
			-100	10	Amplified Amplitude (mV)				


























REPEAT LOG PASS

Database File: stelbar cheyenne 3-35cbl.db
 Dataset Pathname: pass5
 Presentation Format: excel
 Dataset Creation: Thu Apr 07 13:25:42 2022
 Charted by: Depth in Feet scaled 1:240

