



MICRO LOG

Company DARRAH OIL COMPANY, LLC
Well BITTER C #11
Field TRAPP
County BARTON State KANSAS

Location: API #: 15-009-26343-0000
330' FNL & 1589' FEL
E2/N/E/N/W/E
SEC 18 TWP 16S RGE 13W
Permanent Datum GROUND LEVEL Elevation 1931
Log Measured From KELLY BUSHING 5' A.G.L
Drilling Measured From KELLY BUSHING
Other Services CNL/CDL/PE DIL/SON
Elevation K.B. 1936 D.F. 1934 G.L. 1931


Table with columns for Date, Run Number, Depth Driller, Depth Logger, Bottom Logged Interval, Top Log Interval, Casing Driller, Casing Logger, Bit Size, Type Fluid in Hole, Density / Viscosity, PH / Fluid Loss, Source of Sample, Rim @ Meas. Temp, Rmt @ Meas. Temp, Rmc @ Meas. Temp, Source of Rmf / Rmc, Rim @ BHT, Time Circulation Stopped, Time Logger on Bottom, Maximum Recorded Temperature, Equipment Number, Location, Recorded By, Witnessed By.

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
-RUSSELL KANSAS SOUTH TO BARTON COUNTY LINE, SOUTH TO NW 210 RD.
-2 1/2 MILE EAST -SOUTH INTO






MAIN SECTION

Database File 6385pe.db
 Dataset Pathname pass6.1
 Presentation Format _micro
 Dataset Creation Fri Apr 08 02:50:34 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		









REPEAT SECTION

Database File 6385pe.db
 Dataset Pathname pass5.1
 Presentation Format _micro
 Dataset Creation Fri Apr 08 02:43:15 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		





Calibration Report

Database File 6385pe.db
 Dataset Pathname pass6.1
 Dataset Creation Fri Apr 08 02:50:34 2022

MICRO_USR Calibration Report

Serial Number: 070910
 Tool Model: ProbeL
 Performed: Sun Jan 23 09:07:22 2022

Caliper Calibration: Gain=7.192 Offset=3.002
 References Low Cal 8.000 High Cal 14.000
 Readings 0.723 1.557

1.5" Calibration: Gain=35.000 Offset=1.000
 References Low Cal 0.000 High Cal 20.000
 Readings 0.004 1.335

2" Calibration: Gain=65.000 Offset=-1.000
 References Low Cal 0.000 High Cal 20.000
 Readings 0.004 1.029

Microlog Calibration Report

Serial-Model: 070910-ProbeL
 Performed: (Not Performed)

	Readings		V	References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Inverse	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000

Gamma Ray Calibration Report

Serial Number: 070558
 Tool Model: Probe1

1001 model:
Performed:

Probe 1
Fri Oct 30 21:32:56 2020

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps

Calibrator Reading: 1.0 cps

Sensitivity: 0.2700 GAPI/cps