



MICRO LOG

Company RAYMOND OIL COMPANY, INC.

Well #1 GIBBS "A" UNIT

Field UNNAMED

County HODGEMAN State KANSAS

Location: API #: 15-083-22003-0000

214' FSL & 653' FWL
SE - SW - SW - SW

SEC 10 TWP 21S RGE 23W

Permanent Datum GROUND LEVEL Elevation 2345
Log Measured From KELLY BUSHING 5' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL
DIL

Elevation

K.B. 2350
D.F. 2348
G.L. 2345

Date 6/11/22

Run Number TWO

Depth Driller 4676

Depth Logger 4677

Bottom Logged Interval 4675

Top Log Interval 3500

Casing Driller 8 5/8" @ 261'

Casing Logger 261

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.4/51

pH / Fluid Loss 8.5/12.4

Source of Sample FLOWLINE

Rm @ Meas. Temp .400 @ 92F

Rmf @ Meas. Temp .300 @ 92F

Rmc @ Meas. Temp .480 @ 92F

Source of Rmf / Rmc MEASURED

Rm @ BHT .302 @ 122F

Time Circulation Stopped 4 HOURS

Time Logger on Bottom 3:00 P.M.

Maximum Recorded Temperature 122F

Equipment Number 8916

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By KIM SHOEMAKER

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395
DIRECTIONS:


NESS CITY, KS., 11S. ON HWY 283 TO "RD. X", 4E. TO "RD. 222", 1S. TO "RD. W", 1W., N. INTO





MAIN SECTION

Database File	6565ddn.db
Dataset Pathname	pass6.4
Presentation Format	_micro
Dataset Creation	Sat Jun 11 15:47:37 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








3900


3950

4000

4050

4100







4150


4200

4250

4300










REPEAT SECTION

Database File 6565ddn.db
 Dataset Pathname pass5.3
 Presentation Format _micro
 Dataset Creation Sat Jun 11 15:45:52 2022
 Charted by Depth in Feet scaled 1:240






4500

4550

4600

4650



0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			