



SONIC LOG

Company DARRAH OIL COMPANY, LLC	
Well A.A. REDETZKE #10	
Field KRAFT-PURSA	
County BARTON	
State KANSAS	
Location: API #: 15-009-26344-00-00	
1059' FNL & 2135' FEL	
SEC 19 TWP 16S RGE 11W	
SE/SW/NW/NE	
GROUND LEVEL Elevation 1901	
Log Measured From KELLY BUSHING 5' A.G.L	
Drilling Measured From KELLY BUSHING	
Other Services C/NL/CDL/PE DIL/MEL	
Elevation K.B. 1906 D.F. 1904 G.L. 1901	
Date 4/20/22	
Run Number TWO	
Depth Driller 3496	
Depth Logger 3496	
Bottom Logged Interval 3486	
Top Log Interval 450	
Casing Driller 8 5/8" @ 4/6	
Casing Logger 476	
Bit Size 7 7/8	
Type Fluid in Hole CHEMICAL MUD	CHLORIDES 6000 PPM
Density / Viscosity 9/62	
pH / Fluid Loss 10/8.8	
Source of Sample FLOWLINE	
Rm @ Meas. Temp .7@70F	
Rmf @ Meas. Temp .53@70F	
Rmc @ Meas. Temp .84@70F	
Source of Rmf / Rmc MEASUREMENT	
Rm @ BHT .44@111F	
Time Circulation Stopped 2 HOURS	
Time Logger on Bottom	////
Maximum Recorded Temperature 111F	
Equipment Number 3802	
Location HAYS, KANSAS	
Recorded By TJ DREILING	
Witnessed By ROGER MARTIN	


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS


-BEAVER KANSAS EAST 5 MILES TO NE 110 AVE.
-NORTH 1/2 MILE, -FOLLOW LEASE ROAD WEST INTO






MAIN SECTION


Database File	6390pe.db
Dataset Pathname	pass6.2
Presentation Format	_slt
Dataset Creation	Wed Apr 20 19:09:35 2022
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			
















1550



1600


1650


1700












2400


2450

2500

2550

2600







2650


2700

2750

2800







3100

3150

3200

3250

