



SONIC
LOG

Company McGINNESS ENERGY CO., INC.
Well JW PLATT #1-8
Field HARDTNER
County BARBER State KANSAS

Location: API #: 15-007-24420-0000
1050' FNL & 700' FEL
SEC 8 TWP 35S RGE 12W
Permanent Datum GROUND LEVEL Elevation 1445
Log Measured From KELLY BUSHING 13' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 1458
D.F. 1456
G.L. 1445


Date	5/14/22		
Run Number	FOUR		
Depth Driller	5450		
Depth Logger	5452		
Bottom Logged Interval	5444		
Top Log Interval	350		
Casing Driller	397		
Casing Logger	397		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8500 PPM	
Density / Viscosity	9.0/50		
pH / Fluid Loss	9.5/9.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.800@78F		
Rmf @ Meas. Temp	.600@78F		
Rmc @ Meas. Temp	.960@78F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.483@129F		
Time Circulation Stopped	6.5 HOURS		
Time Logger on Bottom	2.30 A.M.		
Maximum Recorded Temperature	129F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS	COLE ROBBEN	
Witnessed By	LEAH KASTEN		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
HARDTNER, KS. 1/4 MILE EAST, NORTH INTO




MAIN SECTION

Database File	6397pe.db
Dataset Pathname	pass15.1S
Presentation Format	slt
Dataset Creation	Sat May 14 05:59:13 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
			TBHV	0	ITT (msec)		20	
			0 (ft3)	10				







550

600

650

700






750


800

850

900

950







1000

1050

1100

1150






1200


1250

1300

1350

1400







1450

1500

1550

1600






1650

1700

1750

1800





1850


1900

1950

2000

2050







2100

2150

2200

2250






2300


2350

2400

2450

2500







2550

2600

2650

2700







2750

2800

2850

2900






2950


3000

3050

3100

3150







3200

3250

3300

3350






3400


3450


3500

3550

3600










3850


3900


3950


4000













4750

4800

4850

4900








4950



5000

5050

5100










REPEAT SECTION

Database File 6397pe.db
 Dataset Pathname pass14.3
 Presentation Format _slt
 Dataset Creation Sat May 14 06:32:47 2022
 Charted by Depth in Feet scaled 1:240





10 (ft)	0	ITT (msec)	20
TBHV	0		
0 (ft3)	10		