



MIDWEST SURVEYS
 LOGGING - PERFORATING - CONSULTING SERVICES
 P. O. Box 68, Osawatomie, KS 66064
 913 / 755 - 2128

GAMMA RAY / CEMENT BOND / CCL

File No. Company **Altavista Energy, Inc.**

Well **Owen No. 1-63**

Field **Paola / Rantoul**

County **Miami**

State **Kansas**

Location **4865' FSL & 2145' FEL**

SE-NW-NW/NE

Sac 8 Twp 18S Rge 22E

Permanent Datum **GL**

Log Measured From **GL**

Drilling Measured From **GL**

Other Services **Perforate**

Elevation **907'**

KB NA

D.F. NA

GL 907'

Date **07-25-2024**

Run Number **One**

Depth Driller **700.0**

Depth Logger **637.0**

Bottom Logged Interval **634.0**

Top Log Interval **20.0**

Fluid Level **Full**

Type Fluid **Water**

Density / Viscosity **NA**

Salinity - PPM Cl **NA**

Max Recorded Temp **NA**

Estimated Cement Top **0.0**

Equipment No **104**

Recorded By **Steve Wirsch**

Witnessed By **Doug Evans**

BORE-HOLE RECORD		CASING RECORD					
RUN	BIT	FROM	TO	SIZE	WGT.	FROM	TO
One	9.875"	0.0	21.0	7.00"	15.0	0.0	21.0
Two	5.625"	21.0	700.0	2.875"	6.5	0.0	688.9
					Set	At	638.8

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
Town Oilfield Services Inc.

Database File: owen 63i.db
 Dataset Pathname: pass1
 Presentation Format: tekco-gr
 Dataset Creation: Thu Jul 25 10:34:19 2024
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (cps)	150	AMP3FT	0	Amplified Amplitude (mV)	50	Variable Density
150	Gamma Ray (cps)	300	(mV)	0	Amplitude (mV)	100	
			-50	10	-8	CCL	0.9
							200
						1600	TT3FT (usec)
							250



0	Gamma Ray (cps)	150	AMP3FT	0	Amplified Amplitude (mV)	50	Variable Density
150	Gamma Ray (cps)	300	(mV)	0	Amplitude (mV)	100	
			-50	10	-8	CCL	0.9
							200
						1600	TT3FT (usec)
							250