



MICRO LOG

Company	PALOMINO PETROLEUM		
Well	LEGEND #1		
Field	TRAPP		
County	BARTON	State	KS
Location:	API # : 15-009-26337		Other Services CDNL DIL
611' FSL & 336' FEL			
Permanent Datum	SEC 25	TWP 16S	RGE 13W
Log Measured From	KB 8' AGL	Ground Level	Elevation 1932
Drilling Measured From	KB		Elevation K.B. 1940 D.F. 1938 G.L. 1932
Date	3/28/22		
Run Number	TWO		
Depth Driller	3505		
Depth Logger	3505		
Bottom Logged Interval	3503		
Top Log Interval	2700		
Casing Driller	8 5/8" @ 442'		
Casing Logger	442		
Bit Size	7 7/8"		
Type Fluid in Hole	Chemical		
Density / Viscosity	9.4/56		
pH / Fluid Loss	11.0/8.4		
Source of Sample	Pit		
Rm @ Meas. Temp	.60@70degf		
Rmf @ Meas. Temp	.45@70degf		
Rmc @ Meas. Temp	.72@70degf		
Source of Rmf / Rmc	Calculated		
Rm @ BHT	.44@96degf		
Time Circulation Stopped	10:00 A.M.		
Time Logger on Bottom	11:30 AM		
Maximum Recorded Temperature	96degf		
Equipment Number	T605		
Location	Hays, KS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	CHAD COUNTS		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

4 EAST OF SUSANK 1 SOUTH,
WEST INTO.


Thank You for using Gemini Wireline LLC
785-625-1182




MAIN PASS

Database File	pplgend#1oh.db
Dataset Pathname	pass5.1
Presentation Format	kml
Dataset Creation	Mon Mar 28 13:27:08 2022
Charted by	Depth in Feet scaled 1:240

0	GR (GAPI)	150	0	MN 2" (Ohm-m)	20
6	MCAL (in)	16	0	MI 1" (Ohm-m)	20
6	BOREID (in)	16	10000	LTEN (lb)	0
0	MINMK	50			






2900


2950

3000

3050

3100






3100



3150

3200

3250

3300








REPEAT SECTION

Database File pplegend#1oh.db
Dataset Pathname pass4.1
Presentation Format kml
Dataset Creation Mon Mar 28 13:12:50 2022
Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150
6	MCAL (in)	16
6	BOREID (in)	16
0	MINMK	50

0	MN 2" (Ohm-m)	20
0	MI 1" (Ohm-m)	20
10000	LTEN (lb)	0





3300

3350

3400

3450





Calibration Report								
Database File	pplegend#1oh.db							
Dataset Pathname	pass4.1							
Dataset Creation	Mon Mar 28 13:12:50 2022							
Microlog Calibration Report								
Serial-Model:			012-Pengo					
Performed:			Mon Mar 28 12:57:15 2022					
	Readings			References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0075	0.0994	V	0.0000	10.0000	Ohm-m	108.7700	-0.8133
Inverse	0.0091	0.1260	V	0.0000	10.0000	Ohm-m	75.5897	-0.7802
Caliper	2.7578	4.6384	V	7.9000	14.0000	in	3.2437	-0.9453
Gamma Ray Calibration Report								
Serial Number:			2001					
Tool Model:			OH					
Performed:			Sat Sep 4 22:48:39 2021					
Calibrator Value:			1.0		GAPI			
Background Reading:			0.0		cps			
Calibrator Reading:			1.0		cps			
Sensitivity:			0.7600		GAPI/cps			