

MICRO LOG


Company	PALOMINO PETROLEUM, INC.	
Well	ALL ALONG THE WATCHTOWER #1	
Field	JUDICA SOUTH	
County	NESS	
State	KANSAS	
Company	PALOMINO PETROLEUM, INC.	
Well	ALL ALONG THE WATCHTOWER #1	
Field	JUDICA SOUTH	
County	NESS	
State	KANSAS	
Location:	API # : 15-135-26156-0000	Other Services CNL/CDL DIL
Permanent Datum	SEC 2 TWP 16S RGE 26W	Elevation
Log Measured From	GROUND LEVEL Elevation 2611	K.B. 2619
Drilling Measured From	KELLY BUSHING 8' A.G.L	D.F. 2617
	KELLY BUSHING	G.L. 2611
Date	2/21/22	
Run Number	TWO	
Depth Driller	4625	
Depth Logger	4654	
Bottom Logged Interval	4652	
Top Log Interval	3600	
Casing Driller	8 5/8" @ 214	
Casing Logger	214	
Bit Size	7 7/8	
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3900 PPM
Density / Viscosity	9.2/55	
pH / Fluid Loss	11.0/5.8	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	1.2@60F	
Rmf @ Meas. Temp	.9@60F	
Rmc @ Meas. Temp	1.44@60F	
Source of Rmf / Rmc	MEASUREMENT	
Rm @ BHT	.59@122F	
Time Circulation Stopped	2 HOURS	
Time Logger on Bottom	////	
Maximum Recorded Temperature	122F	
Equipment Number	3802	
Location	HAYS, KANSAS	
Recorded By	JASON CAPPELLUCCI	TJ DREILING
Witnessed By	RYAN SEIB	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
FROM UTICA KS, WEST SIDE OF TOWN TO ROAD "D"
-2 1/2 MILES NORTH, -EAST INTO




MAIN SECTION

Database File	6244ddn.db
Dataset Pathname	pass6.1
Presentation Format	_micro
Dataset Creation	Tue Feb 22 02:52:43 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		







3800

3850

3900

3950






4000


4050

4100

4150

4200







4250

4300

4350

4400






0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		




REPEAT SECTION

Database File 6244ddn.db
 Dataset Pathname pass5.1
 Presentation Format _micro
 Dataset Creation Tue Feb 22 02:40:34 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		





Calibration Report

Database File 6244ddn.db
Dataset Pathname pass6.1
Dataset Creation Tue Feb 22 02:52:43 2022

MICRO_USR Calibration Report

Serial Number:	070910	
Tool Model:	ProbeL	
Performed:	Sun Jan 23 09:07:22 2022	
Caliper Calibration:	Gain=7.192	Offset=3.002
References	Low Cal	High Cal
Readings	8.000	14.000
	0.723	1.557
1.5" Calibration:	Gain=35.000	Offset=1.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.004	1.335
2" Calibration:	Gain=65.000	Offset=-1.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.004	1.335

Readings

0.004

1.029

Microlog Calibration Report

Serial-Model:
Performed:070910-ProbeL
(Not Performed)

Readings

References

Results

Zero

Cal

Zero

Cal

m

b

Normal

0.0000

1.0000

V

0.0000

1.0000

Ohm-m

1.0000

0.0000

Inverse

0.0000

1.0000

V

0.0000

1.0000

Ohm-m

1.0000

0.0000

Caliper

0.0000

1.0000

V

0.0000

1.0000

in

1.0000

0.0000

Gamma Ray Calibration Report

Serial Number:

070558

Tool Model:

Probe1

Performed:

Fri Oct 30 21:32:56 2020

Calibrator Value:

1.0

GAPI

Background Reading:

0.0

cps

Calibrator Reading:

1.0

cps

Sensitivity:

0.2700

GAPI/cps