MICRO LOG

Company LYNN PACKARD
Well PACKARD JAYNE #5
Field NURSE
County BARBER
State KANSAS

Company LYNN PACKARD
Well PACKARD JAYNE #5
Field NURSE
County BARBER State KANSAS

Location: API # : 15-007-24483-0000
1040 FSL & 2350 FWL
NE - NE - SE - SW
SEC 22 TWP 31S RGE 13W

Other Services
CDL/CNL
DIL

Permanent Datum GROUND LEVEL Elevation 1584
Log Measured From KELLY BUSHING 11' A.G.L
Drilling Measured From KELLY BUSHING

Elevation
K.B. 1595
D.F. 1593
G.L. 1584

Date	1/9/24		
Run Number	TWO		
Depth Driller	3467		
Depth Logger	3467		
Bottom Logged Interval	3465		
Top Log Interval	2400		
Casing Driller	8.625 @ 222		
Casing Logger	222		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 7,000 PPM	
Density / Viscosity	8.9/61		
pH / Fluid Loss	11.0/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.900 @ 58F		
Rmf @ Meas. Temp	.675 @ 58F		
Rmc @ Meas. Temp	1.08 @ 58F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.470 @ 111F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	4:45 P.M.		
Maximum Recorded Temperature	111F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBBEN		
Witnessed By	AARON YOUNG		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395


DIRECTIONS:
TAKE 'NW RIVER RD' WEST FROM HIGHWAY 281 IN MEDICINE LODGE, KANSAS FOR 8 MILES, NORTH INTO OVER CATTLE GUARD


MAIN SECTION


Database File	7059ddn.db
Dataset Pathname	pass7D
Presentation Format	_micro
Dataset Creation	Tue Jan 09 17:12:52 2024
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV		0 LTEN (lb)	5000
			0 (ft3) 10			





2600
2650
2700
2750


2800
2850
2900
2950
3000



3050
3100
3150
3200



3250
3300
3350
3400
5.5" ABHV
TBHV
3450
MINMK



REPEAT SECTION

Database File	7059ddn.db
Dataset Pathname	pass6R
Presentation Format	_micro
Dataset Creation	Tue Jan 09 17:03:19 2024
Charted by	Depth in Feet scaled 1:240





Calibration Report

Database File	7059ddn.db
Dataset Pathname	pass7D
Dataset Creation	Tue Jan 09 17:12:52 2024

MICRO_USR Calibration Report

Serial Number:	070911	
Tool Model:	ProbeL	
Performed:	Fri Sep 15 13:51:55 2023	
Caliper Calibration:	Gain=4.500	Offset=0.800
	Low Cal	High Cal
References	8.000	14.000
Readings	1.451	3.049
1.5" Calibration:	Gain=17.000	Offset=0.000
	Low Cal	High Cal
References	0.000	20.000
Readings	0.006	1.243
2" Calibration:	Gain=29.600	Offset=-0.400
	Low Cal	High Cal

References	0.000	20.000
Readings	0.011	0.957

Microlog Calibration Report

Serial-Model:	070911-ProbeL
Performed:	Sat May 14 04:48:25 2022

	Readings			References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0002	0.4836	V	0.0000	10.0000	Ohm-m	20.6908	-0.0051
Inverse	0.0018	0.6297	V	0.0000	10.0000	Ohm-m	15.9263	-0.0282
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000

Gamma Ray Calibration Report

Serial Number:	070558	
Tool Model:	Probe1	
Performed:	Sat Sep 30 18:38:35 2023	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2700	GAPI/cps