



SONIC LOG

Company BASIN OPERATING SERVICES, LLC.				Company BASIN OPERATING SERVICES, LLC.			
Well WINDHOLZ #25-1				Well WINDHOLZ #25-1			
Field MONG				Field MONG			
County TREGO				County TREGO			
State KANSAS				State KANSAS			
Location:		API # : 15-195-23172-0000		Other Services CDL/CNL/PE DIL/MEL			
SEC 25 TWP 11S RGE 23W				Elevation			
Permanent Datum	GROUND LEVEL	Elevation	2370				
Log Measured From	KELLY BUSHING 8' A.G.L						
Drilling Measured From	KELLY BUSHING						
Date	4/12/24						
Run Number	TWO						
Depth Driller	4085						
Depth Logger	4080						
Bottom Logged Interval	4072						
Top Log Interval	200						
Casing Driller	8.625@284						
Casing Logger	284						
Bit Size	7.785						
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4,400 PPM					
Density / Viscosity	9.3/59						
pH / Fluid Loss	10.5/6.4						
Source of Sample	FLOWLINE						
Rm @ Meas. Temp	.750@57F						
Rmf @ Meas. Temp	.563@57F						
Rmc @ Meas. Temp	.900@57F						
Source of Rmf / Rmc	MEASUREMENT						
Rm @ BHT	117F						
Time Circulation Stopped	3 HOURS						
Time Logger on Bottom	8:15 A.M.						
Maximum Recorded Temperature	117F						
Equipment Number	922339						
Location	HAYS, KANSAS						
Recorded By	JEFF LUEBBERS	JEREMEY PASEK					
Witnessed By	ED GRIEVES	TROY JOHNSON					
		TIM HEDRICK					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-195-23172-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
WAKEENEY, KS. & OLD 40, 3E. TO "RD. 290", 3N. TO GATE, FOLLOW TRAIL W. & N., E. INTO





MAIN SECTION

Database File	8486pe.db
Dataset Pathname	pass6.3
Presentation Format	slt
Dataset Creation	Fri Apr 12 10:23:07 2024
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			








600


650


700

750

800








1050


1100

1150

1200

1250







1300


1350

1400


1450








1700
1750
1800
1850
1900







1950


2000


2050


2100












2800


2850


2900


2950

3000











3500

3550

3600

3650







3700

3750

3800

3850









REPEAT SECTION

Database File 8486pe.db
Dataset Pathname pass5.1
Presentation Format slt
Dataset Creation Fri Apr 12 09:12:06 2024
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			





4050

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (u sec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			