

MICRO LOG



Company ARCADIAN RESOURCES, LLC.  
 Well PRAIRIE VIEW #12-2  
 Field UNNAMED  
 County NORTON State KANSAS

Location: API #: 15-137-20772-0000  
 1330' FSL & 960' FEL  
 SE - SW - NE - SE  
 SEC 12 TWP 3S RGE 21W  
 Permanent Datum GROUND LEVEL Elevation 2326  
 Log Measured From KELLY BUSHING 7' A.G.L.  
 Drilling Measured From KELLY BUSHING  
 Other Services CDL/CNL DIL  
 Elevation K.B. 2333 D.F. 2331 G.L. 2326

Date	5/22/24
Run Number	TWO
Depth Driller	4098
Depth Logger	4090
Bottom Logged Interval	4088
Top Log Interval	3300
Casing Driller	8.675@259
Casing Logger	252
Bit Size	7.785
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.3/53
pH / Fluid Loss	10.5/8.8
Source of Sample	FLOWLINE
Rm @ Meas. Temp	1.40@78F
Rmf @ Meas. Temp	1.05@78F
Rmc @ Meas. Temp	1.68@78F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	.933@117F
Time Circulation Stopped	3.5 HOURS
Time Logger on Bottom	8:00 P.M.
Maximum Recorded Temperature	117F
Equipment Number	922339
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	SEAN DEENIHAN

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-137-20772-0000 Comments


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395  
 DIRECTIONS  
 PRAIRIE VIEW, KS., 3W. ON HWY 36 TO "RD. 1600" (PHILLIPS/NORTON COUNTY LINE) 1 1/2S., W. IN





MAIN SECTION


Database File 8627pe.db  
 Dataset Pathname pass7.1  
 Presentation Format micro  
 Dataset Creation Wed May 22 21:10:54 2024  
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		











REPEAT SECTION

Database File 8627pe.db  
 Dataset Pathname pass6.2  
 Presentation Format micro  
 Dataset Creation Wed May 22 21:06:45 2024  
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		





### Calibration Report

Database File 8627pe.db  
 Dataset Pathname pass7.1  
 Dataset Creation Wed May 22 21:10:54 2024

#### MICRO Calibration Report

Serial Number:	070910	
Tool Model:	ProbeN	
Performed:	Mon May 20 23:36:00 2024	
Caliper Calibration:	Gain=3.433	Offset=2.266
References	Low Cal	High Cal
Readings	8.000	16.000
	1.670	4.000
1.5" Calibration:	Gain=60.000	Offset=-2.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.000	1.216
2" Calibration:	Gain=66.000	Offset=-1.500
References	Low Cal	High Cal
Readings	0.000	20.000
	0.002	1.053

#### Gamma Ray Calibration Report

Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Sun Mar 31 16:20:41 2024	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.3000	GAPI/cps