



MICRO LOG

Company RAYDON EXPLORATION, INC.
Well BREYFOGLE #1-3
Field UNNAMED
County FINNEY State KANSAS


Location: 660 FNL & 2280 FWL
W2 - E2 - NE - NW
SEC 3 TWP 21S RGE 31W
API #: 15-055-22596-0000
Other Services: CDL/CNL/PE DIL/SON
Permanent Datum: GROUND LEVEL Elevation: 2886
Log Measured From: KELLY BUSHING 12' A.G.L.
Drilling Measured From: KELLY BUSHING
Elevation: K.B. 2898, D.F. 2896, G.L. 2886

Table with 2 columns: Log Parameter (e.g., Run Number, Depth Logger, Bottom Logged Interval) and Value (e.g., TWO, 5003, 4987).

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation...


Comments
THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS:
FROM SCOTT CITY, KANSAS SOUTH ON HIGHWAY 83 TO FINNEY/SCOTT COUNTY ROAD, 10 MILES EAST, SOUTH INTO





MAIN SECTION


Database File 7057pe.db
 Dataset Pathname pass7D
 Presentation Format _micro
 Dataset Creation Thu Dec 21 15:34:50 2023
 Charted by Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV	0	LTEN (lb)	5000
			0 (ft3)	10		






















4750

4800

4850

4900





Calibration Report

Database File 7057pe.db
 Dataset Pathname pass7D
 Dataset Creation Thu Dec 21 15:34:50 2023

MICRO_USR Calibration Report

Serial Number: 070911
 Tool Model: ProbeL
 Performed: Fri Sep 15 13:51:55 2023

Caliper Calibration: Gain=4.500 Offset=0.930
 References Low Cal 8.000 High Cal 14.000
 Readings 1.451 3.049

1.5" Calibration: Gain=17.000 Offset=0.000
 References Low Cal 0.000 High Cal 20.000
 Readings 0.006 1.243

2" Calibration: Gain=25.000 Offset=-0.400
 References Low Cal 0.000 High Cal 20.000
 Readings 0.011 0.957

Microlog Calibration Report

Serial-Model: 070911-ProbeL
 Performed: Sat May 14 04:48:25 2022

	Readings		References		Results	
	Zero	Cal	Zero	Cal	m	b
Normal	0.0000	0.4826	0.0000	10.0000	Ohm-m	20.0000 0.0051

Normal	0.0002	0.4836	V	0.0000	10.0000	Ohm-in	20.6908	-0.0031
Inverse	0.0018	0.6297	V	0.0000	10.0000	Ohm-m	15.9263	-0.0282
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000

Gamma Ray Calibration Report

Serial Number:	070558	
Tool Model:	Probe1	
Performed:	Sat Sep 30 18:38:35 2023	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2700	GAPI/cps