



SONIC LOG

Company RAYDON EXPLORATION, INC.
Well BREYFOGLE #1-3
Field UNNAMED
County FINNEY State KANSAS

Location: API #: 15-055-22596-0000
660 FNL & 2280 FWL
W2 - E2 - NE - NW
SEC 3 TWP 21S RGE 31W
Permanent Datum GROUND LEVEL Elevation 2886
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 2898
D.F. 2896
G.L. 2886

Date	12/21/23
Run Number	TWO
Depth Driller	5003
Depth Logger	5003
Bottom Logged Interval	4995
Top Log Interval	355
Casing Driller	8.625 @ 355
Casing Logger	355
Bit Size	7.875
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	8.9/47
PH / Fluid Loss	9.5/6.0
Source of Sample	FLOWLINE
Rm @ Meas. Temp	1.70 @ 68F
Rmt @ Meas. Temp	1.28 @ 68F
Rmc @ Meas. Temp	2.04 @ 68F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	925 @ 125F
Time Circulation Stopped	4 HOURS
Time Logger on Bottom	2:30 P.M.
Maximum Recorded Temperature	125F
Equipment Number	3802
Location	HAYS, KANSAS
Recorded By	COLE ROBBEN
Witnessed By	ED GRIEVES


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395


DIRECTIONS:
FROM SCOTT CITY, KANSAS SOUTH ON HIGHWAY 83 TO FINNEY/SCOTT COUNTY ROAD,
10 MILES EAST, SOUTH INTO





MAIN SECTION


Database File 7057pe.db
 Dataset Pathname pass7.5
 Presentation Format _slt
 Dataset Creation Thu Dec 21 16:19:15 2023
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40			
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10		
-----			TBHV	0	ITT (msec)	20	0	LTEN (lb)	5000
-----			0 (ft3)	10					











1000


1050


1100


1150

























2750

2800



2850


2900





2950
3000
3050
3100
3150








3200


3250


3300


3350
















4050
4100
4150
4200
4250













REPEAT SECTION

Database File 7057pe.db
 Dataset Pathname pass6.2
 Presentation Format _slt
 Dataset Creation Thu Dec 21 15:36:52 2023
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40	
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10	
			TBHV	0	ITT (msec)	20 0	
			0 (ft3) 10			LTEN (lb)	5000







0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20 0
			0 (ft3) 10			LTEN (lb) 5000