

QUAD COMBO LOG

Company RAYDON EXPLORATION, INC.
 Well BREYFOGLE #1-3
 Field UNNAMED
 County FINNEY State KANSAS

Location: API #: 15-055-22596-0000
 660 FNL & 2280 FWL
 W2 - E2 - NE - NW
 SEC 3 TWP 21S RGE 31W
 Permanent Datum GROUND LEVEL Elevation 2886
 Log Measured From KELLY BUSHING 12' A.G.L.
 Drilling Measured From KELLY BUSHING
 Other Services
 CDL/CNL/PE
 DIL/MEL/SON
 Elevation
 K.B. 2898
 D.F. 2896
 G.L. 2886

Date	12/21/23
Run Number	ONE
Depth Driller	5003
Depth Logger	5003
Bottom Logged Interval	4979
Top Log Interval	3500
Casing Driller	8.625 @ 355
Casing Logger	355
Bit Size	7.875
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	8.9/47
PH / Fluid Loss	9.5/6.0
Source of Sample	FLOWLINE
Rm @ Meas. Temp	1.70 @ 68F
Rmt @ Meas. Temp	1.28 @ 68F
Rmc @ Meas. Temp	2.04 @ 68F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	925 @ 125F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	12:30 P.M.
Maximum Recorded Temperature	125F
Equipment Number	3802
Location	HAYS, KANSAS
Recorded By	COLE ROBBEN
Witnessed By	ED GRIEVES

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395


DIRECTIONS:
 FROM SCOTT CITY, KANSAS SOUTH ON HIGHWAY 83 TO FINNEY/SCOTT COUNTY ROAD,
 10 MILES EAST, SOUTH INTO







MAIN SECTION


Database File 7057pe.db
 Dataset Pathname pass4COM
 Presentation Format obrcompcol
 Dataset Creation Thu Dec 21 15:40:48 2023
 Charted by Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	Sonic Porosity (pu)	-10
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10
-200	RxoRt	100	0 40	0.2	Shallow Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10
6	MELCAL (in)	16	MEL20				0	PE	20
			(Ohm-m)						
			0 40					RHOC	
								-0.25 (g/cc)	0.25









4150

4200

4250

4300

