



CEMENT BOND LOG

Company TRIPLE CROWN OPERATING LLC.

Well DAVID #1-35

Field REINERT

County NESS

State KANSAS

Location: API # : 15-135-26212

1810' FNL & 1140' FEL

SEC 35 TWP 20S RGE 23W

Permanent Datum GROUND LEVEL Elevation 2253'
Log Measured From KB 12' AGL
Drilling Measured From KB

Elevation
K.B. 2265
D.F. 2263
G.L. 2253

Company TRIPLE CROWN OPERATING LLC.
Well DAVID #1-35
Field REINERT
County NESS
State KANSAS

Date 12/1/23

Run Number ONE

Depth Driller 4571

Depth Logger 4508

Bottom Logged Interval 4506

Top Log Interval 2850

Open Hole Size 7 5/8"

Type Fluid WATER

Density / Viscosity ///

Max. Recorded Temp. ///

Estimated Cement Top 2968

Time Well Ready 12:30 PM

Time Logger on Bottom 1:00PM

Equipment Number T-118

Location HAYS KS

Recorded By GUS PFANENSTIEL

Witnessed By

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

--	--	--	--	--	--	--	--

Casing Record	Size	Wgt/Ft	Top	Bottom
---------------	------	--------	-----	--------

Surface String	8 5/8"	23#	0'	1489
----------------	--------	-----	----	------

Prot. String				
--------------	--	--	--	--

Production String	5.5"	15.5 #	0'	4508
-------------------	------	--------	----	------

Liner				
-------	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


FROM NESS. 11 SOUTH ON HW 283, 4 EAST ON 20 RD, SOUTH 1 MILE, THEN SOUTH INTO.




MAIN PASS

Database File	tcdavid#1-35cbl.db		
Dataset Pathname	pass6.1		
Presentation Format	cblsec		
Dataset Creation	Fri Dec 01 14:16:58 2023		
Charted by	Depth in Feet scaled 1:240		

0	GR (GAPI)	150	LTEN (lb)	18	CCL	-2	200	VDL (usec)	1200
150	GR (GAPI)	300		0	AMP3 (mV)	100			
450	TT3 (usec)	250		-100	2100				







3050


3100


3150


3200


3250
















4150


4200

4250

4300

4350






REPEAT SECTION

Database File tcdavid#1-35cbl.db
 Dataset Pathname pass5RP
 Presentation Format cblsec
 Dataset Creation Fri Dec 01 14:23:06 2023
 Charted by Depth in Feet scaled 1:240





0	GR (GAPI)	150	LTEN (lb)	18	CCL	-2	200	VDL (usec)	1200
150	GR (GAPI)	300		0	AMP3 (mV)	100			
450	TT3 (usec)	250							

Calibration Report						
Database File	tcdavid#1-35cbl.db					
Dataset Pathname	pass5RP					
Dataset Creation	Fri Dec 01 14:23:06 2023					
Gamma Ray Calibration Report						
Serial Number:	080224					
Tool Model:	Probe1					
Performed:	Wed Mar 8 08:45:31 2023					
Calibrator Value:	200.0	GAPI				
Background Reading:	15.0	cps				
Calibrator Reading:	222.7	cps				
Sensitivity:	1.4000	GAPI/cps				
Segmented Cement Bond Log Calibration Report						
Serial Number:	061007					
Tool Model:	DigitalCBL					
Calibration Casing Diameter:	5.500	in				
Calibration Depth:	512.692	ft				
Master Calibration, performed Tue Nov 14 09:19:04 2023:						
	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.003	0.930	1.000	71.921	76.484	0.790
CAL						
5'	0.002	0.843	1.000	71.921	84.350	0.801
SUM						
S1						
S2						
S3						
S4						
S5						
S6						
S7						
S8						
Internal Reference Calibration, performed (Not Performed):						
	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL						

3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1			
S2			
S3			
S4			
S5			
S6			
S7			
S8			