

MICRO LOG

Company TRI UNITED, INC.		Company TRI UNITED, INC.	
Well VINE #2		Well VINE #2	
Field SOLOMON SOUTHEAST		Field SOLOMON SOUTHEAST	
County ELLIS		County ELLIS	
State KANSAS		State KANSAS	
Location: API #: 15-051-27101-0000		Other Services	
Permanent Datum SEC 35 TWP 11S RGE 19W		CDL/CNL	
Log Measured From GROUND LEVEL Elevation 2097		DIL	
Drilling Measured From KELLY BUSHING 7' A.G.L		Elevation	
		K.B. 2104	
		D.F. 2102	
		G.L. 2097	
Date 10/27/23			
Run Number TWO			
Depth Driller 3654			
Depth Logger 3658			
Bottom Logged Interval 3656			
Top Log Interval 3000			
Casing Driller 8.625 @ 225			
Casing Logger 225			
Bit Size 7.875			
Type Fluid in Hole CHEMICAL MUD	CHLORIDES 2.800 PPM		
Density / Viscosity 9.3/52			
pH / Fluid Loss 10.5/5.8			
Source of Sample FLOWLINE			
Rm @ Meas. Temp 1.20 @ 65F			
Rmf @ Meas. Temp .900 @ 65F			
Rmc @ Meas. Temp 1.44 @ 65F			
Source of Rmf / Rmc MEASUREMENT			
Rm @ BHT .690 @ 113F			
Time Circulation Stopped 4 HOURS			
Time Logger on Bottom 9.45 P.M.			
Maximum Recorded Temperature 113F			
Equipment Number 3802			
Location HAYS, KANSAS			
Recorded By COLE ROBEN			
Witnessed By LYLE HERRMAN	EUGENE LEIKER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395

DIRECTIONS:


FROM HAYS, KANSAS GO NORTH ON HIGHWAY 183 TO BUCKEYE ROAD, WEST TO ROAD HYACIN
NORTH 3 1/2 MILES, WEST INTO




MAIN SECTION

Database File	7788ddn.db
Dataset Pathname	pass7D
Presentation Format	_micro
Dataset Creation	Fri Oct 27 21:40:01 2023
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV		0	LTEN (lb)
			0 (ft3)	10		5000







3200

3250

3300

3350





3400


3450



3500

3550

3600



5.5" ABHV






REPEAT SECTION

Database File 7788ddn.db
 Dataset Pathname pass6R
 Presentation Format _micro
 Dataset Creation Fri Oct 27 21:30:23 2023
 Charted by Depth in Feet scaled 1:240





Calibration Report			
Database File	7788ddn.db		
Dataset Pathname	pass7D		
Dataset Creation	Fri Oct 27 21:40:01 2023		
MICRO_USR Calibration Report			
Serial Number:	070911		
Tool Model:	ProbeL		
Performed:	Fri Sep 15 13:51:55 2023		
Caliper Calibration:	Gain=4.500	Offset=0.660	
References	Low Cal	High Cal	
Readings	8.000	14.000	
	1.451	3.049	
1.5" Calibration:	Gain=55.000	Offset=-0.900	
	Low Cal	High Cal	
	2.000	2.000	

References	0.000	20.000						
Readings	0.004	0.843						
2" Calibration:	Gain=51.500	Offset=0.000						
	Low Cal	High Cal						
References	0.000	20.000						
Readings	0.021	0.810						
Microlog Calibration Report								
Serial-Model:	070911-ProbeL							
Performed:	Sat May 14 04:48:25 2022							
	Readings			References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0002	0.4836	V	0.0000	10.0000	Ohm-m	20.6908	-0.0051
Inverse	0.0018	0.6297	V	0.0000	10.0000	Ohm-m	15.9263	-0.0282
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000
Gamma Ray Calibration Report								
Serial Number:	070558							
Tool Model:	Probe1							
Performed:	Sat Sep 30 18:38:35 2023							
Calibrator Value:	1.0	GAPI						
Background Reading:	0.0	cps						
Calibrator Reading:	1.0	cps						
Sensitivity:	0.2700	GAPI/cps						