

SONIC
LOG

Company DOWNING NELSON OIL COMPANY, INC.
Well KRAMER-SCOTT UNIT #1-17
Field CHARLENE
County RAWLINS State KANSAS

Location: API # : 15-153-21291-0000
2293' FNL & 1785' FEL
NW - SE - SW - NE
SEC 17 TWP 05S RGE 36W
Permanent Datum GROUND LEVEL Elevation 3285
Log Measured From KELLY BUSHING 1' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL
DIL/MEL
Elevation
K.B. 3296
D.F. 3294
G.L. 3285

Date	6/11/22		
Run Number	TWO		
Depth Driller	4925		
Depth Logger	4923		
Bottom Logged Interval	4915		
Top Log Interval	400		
Casing Driller	8 5/8"@439'		
Casing Logger	439		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 1,000 PPM	
Density / Viscosity	9.4/48		
pH / Fluid Loss	9.5/8.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	2.10@80F		
Rmf @ Meas. Temp	1.57@80F		
Rmc @ Meas. Temp	2.52@80F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	1.35@124F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	3.30 A.M.		
Maximum Recorded Temperature	124F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBBEN		
Witnessed By	AL DOWNING		


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS:


BREWSTER, KS. NORTH ON BLACKTOP TO CURVE WEST, THEN 3 MILES NORTH,
1/2 MILE WEST, AND NORTH INTO EAST OF TANK BATTERY





MAIN SECTION


Database File	6541ddn.db
Dataset Pathname	pass6.4
Presentation Format	slt
Dataset Creation	Sat Jun 11 05:45:15 2022
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			



























2350


2400

2450

2500

2550







2600


2650


2700


2750
















3700

3750

3800

3850







3900

3950

4000

4050






4100


4150

4200

4250

4300







4350



4400

4450

4500







REPEAT SECTION

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

