



SONIC LOG

Company MULL DRILLING COMPANY, INC.
Well CARTER - JOHNSON #1-1
Field PRAIRIE RIDGE NORTHWEST
County LANE State KANSAS

Location: API # : 15-101-22672-0000
2164' FNL & 200' FEL
NE - SE - SE - NE
SEC 1 TWP 16S RGE 27W
Permanent Datum GROUND LEVEL Elevation 2619
Log Measured From KELLY BUSHING 7' A.G.L
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 2626
D.F. 2624
G.L. 2619

Date	5/17/22		
Run Number	TWO		
Depth Driller	4625		
Depth Logger	4625		
Bottom Logged Interval	4617		
Top Log Interval	200		
Casing Driller	8 5/8"@223'		
Casing Logger	223		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 2000 PPM	
Density / Viscosity	9.3/57		
pH / Fluid Loss	10.0/5.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.55@76F		
Rmf @ Meas. Temp	1.17@76F		
Rmc @ Meas. Temp	1.86@76F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.966@122F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	12:30 A.M.		
Maximum Recorded Temperature	122F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	BLAKE MILLER		


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS


UTICA, KS., 3W. TO "RD. C" (CASTLE ROCK RD.) 4N., 1/2W. INTO






MAIN SECTION


Database File	6527pe.db
Dataset Pathname	pass6.3
Presentation Format	_slt
Dataset Creation	Tue May 17 02:18:35 2022
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			












1050


1100

1150

1200

1250








1300


1350


1400


1450






















2800


2850

2900

2950

3000








3050


3100

3150

3200









3500

3550

3600

3650







3700

3750

3800

3850






3900

3950

4000

4050

4100







4150



4200

4250

4300







REPEAT SECTION

Database File 6527pe.db
 Dataset Pathname pass5.2
 Presentation Format slt
 Dataset Creation Tue May 17 01:39:47 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

