


MICRO LOG



Company ARCADIAN RESOURCES, LLC.  
 Well ELI UNIT #30-1  
 Field UNNAMED  
 County CHEYENNE State KANSAS

Location: API #: 15-023-21635-0000  
 1100' FSL & 100' FWL  
 NW - NW - SW - SW  
 SEC 30 TWP 2S RGE 41W  
 Permanent Datum GROUND LEVEL Elevation 3696  
 Log Measured From KELLY BUSHING 7' A.G.L.  
 Drilling Measured From KELLY BUSHING  
 Other Services CDL/CNL/PE DIL  
 Elevation K.B. 3703  
 D.F. 3701  
 G.L. 3696

Date	9/6/23	
Run Number	TWO	
Depth Driller	5120	
Depth Logger	5120	
Bottom Logged Interval	5118	
Top Log Interval	4100	
Casing Driller	8 5/8"@391'	
Casing Logger	391	
Bit Size	7 7/8"	
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 1.300 PPM
Density / Viscosity	9.4/53	
pH / Fluid Loss	10.0/8.0	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	1.40@89F	
Rmf @ Meas. Temp	1.05@89F	
Rmc @ Meas. Temp	1.68@89F	
Source of Rmf / Rmc	MEASUREMENT	
Rm @ BHT	.989@126F	
Time Circulation Stopped	4.5 HOURS	
Time Logger on Bottom	3:00 P.M.	
Maximum Recorded Temperature	126F	
Equipment Number	922339	
Location	HAYS, KANSAS	
Recorded By	JEFF LUEBBERS	
Witnessed By	SEAN DEENIHAN	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-023-21635-0000 Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395  
 DIRECTIONS  
 ST FRANCIS, KS., N. ON HWY 27 TO CURVE, W. TO CURVE NORTH, JOG W. ON COUNTY RD. TO "T", 1/2S. TO RED BARN, 2W., 1/4N., E. SIDE





MAIN SECTION


Database File 8208pe.db  
 Dataset Pathname pass6.3  
 Presentation Format micro  
 Dataset Creation Wed Sep 06 15:07:24 2023  
 Charted by Depth in Feet scaled 1:240


0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		













# REPEAT SECTION



Database File 8208pe.db  
 Dataset Pathname pass5.1  
 Presentation Format micro  
 Dataset Creation Wed Sep 06 14:28:30 2023  
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0 0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		





### Calibration Report

Database File 8208pe.db  
 Dataset Pathname pass6.3  
 Dataset Creation Wed Sep 06 15:07:24 2023

#### MICRO Calibration Report

Serial Number: 070911  
 Tool Model: ProbeN  
 Performed: Wed Sep 06 14:39:47 2023

Caliper Calibration: Gain=4.706 Offset=2.353  
 References Low Cal High Cal  
 8.000 16.000  
 Readings 1.200 2.900

1.5" Calibration: Gain=34.000 Offset=0.000  
 References Low Cal High Cal  
 0.000 20.000  
 Readings 0.001 1.291

2" Calibration: Gain=48.000 Offset=-0.300  
 References Low Cal High Cal  
 0.000 20.000  
 Readings 0.003 1.103

#### Gamma Ray Calibration Report

Serial Number: 070559  
 Tool Model: OPEN\_GR  
 Performed: Sun May 14 16:49:25 2023

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps  
 Calibrator Reading: 1.0 cps

Sensitivity:

0.3000

GAPI/cps