



SONIC LOG

Company HERMAN L. LOEB, LLC.
Well EAGLE CANYON #1-17
Field WILDCAT
County KIOWA State KANSAS

Location: API #: 15-097-21862-0000
1325' FNL & 1459' FEL
NE - NE - SW - NE
SEC 17 TWP 28S RGE 20W
Permanent Datum GROUND LEVEL Elevation 2318
Log Measured From KELLY BUSHING 13' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 2331
D.F. 2329
G.L. 2318

Date	7/12/22		
Run Number	THREE		
Depth Driller	5050		
Depth Logger	5050		
Bottom Logged Interval	5042		
Top Log Interval	500		
Casing Driller	8 5/8"@595'		
Casing Logger	595		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES: 6,800 PPM	
Density / Viscosity	9.2/58		
pH / Fluid Loss	11.0/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.600@84F		
Rmf @ Meas. Temp	.450@84F		
Rmc @ Meas. Temp	.720@84F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.403@125F		
Time Circulation Stopped	6 HOURS		
Time Logger on Bottom	6.45 A.M.		
Maximum Recorded Temperature	125F		
Equipment Number	8916		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	JON CHRISTENSEN	GEORGE PAYNE	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395
DIRECTIONS:
MULLINVILLE, KS., (HWY 400 & MAIN ST.) 1 1/2N. TO "RD. I-5", 2 1/2 W. TO INTERSECTION. 1/4 NW
IN PASTURE





MAIN SECTION


Database File	6710pe.db
Dataset Pathname	pass8.2
Presentation Format	_slt
Dataset Creation	Tue Jul 12 07:59:08 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	MELCAL (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			











1200

1250

1300

1350






1400



1450


1500

1550

1600









1850

1900


1950


2000





2050
2100
2150
2200
2250







2300


2350


2400

2450












2950


3000


3050

3100










3600


3650

3700

3750

3800







3850


3900


3950

4000











4500

4550

4600

4650






4700


4750

4800

4850

4900






REPEAT SECTION

Database File 6710pe.db
 Dataset Pathname pass7.2
 Presentation Format _slt
 Dataset Creation Tue Jul 12 08:08:28 2022
 Charted by Depth in Feet scaled 1:240





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	MELCAL (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			