


Top - Bottom


A	BOREID	BOTTEMP	CASEOD	CASETHCK	FLUIDDEN	M	MATRXDEN
1	in 7.875	degF 111	in 5.5	in 0	g/cc 1	2	g/cc 2.71
NPORSEL	PERFS	SNDERR	SNDERRM	SPSHIFT	SRFTEMP	SZCOR	TDEPTH
Limestone	No	mmho/m 3	mmho/m 1	mV 187	degF 68	Off	ft 3460

Variable Description

A : Cement Factor (a)
BOREID : Borehole I.D.
BOTTEMP : Bottom Hole Temperature
CASEOD : Casing O.D.
CASETHCK : Casing Thickness
FLUIDDEN : Fluid Density
M : Cement Exp (m)
MATRXDEN : Matrix Density

NPORSEL : Neutron Porosity Curve Select
PERFS : Perforation Flag
SNDERR : Deep Sonde Error Correction
SNDERRM : Medium Sonde Error Correction
SPSHIFT : S.P. Baseline Offset
SRFTEMP : Surface Temperature
SZCOR : CN Size Cor. ?
TDEPTH : Total Depth

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			CENT-PENGO	4.25	3.00	70.00
WVF4 WVF1	12.50 12.50		SLT-PENGO (602)	16.00	3.50	300.00
WVF3 WVF2	10.50 10.50					







DETAIL SECTION



MAIN PASS



Database File batchman_ms_1.db
Dataset Pathname stackml/pass3.1
Presentation Format _sonic
Dataset Creation Mon Jul 08 09:46:20 2024
Charted by Depth in Feet scaled 1:240



0	Gamma Ray (GAPI)	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	GR (GAPI)	300	5 (msec) 0	30	Sonic Porosity (pu) (pu)	-10
6	LCAL (in)	16		15000	Line Tension (lb)	0
2.875	lcal (in)	7.875				











































2750



2800



2850


2900

2950













REPEAT SECTION

REPEAT PASS

Database File batchman_ms_1.db
Dataset Pathname stackml/pass2.1
Presentation Format _sonic
Dataset Creation Mon Jul 08 09:19:27 2024
Charted by Depth in Feet scaled 1:240





0	Gamma Ray (GAPI)	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	GR (GAPI)	300	5 (msec) 0	30	Sonic Porosity (pu) (pu)	-10
6	LCAL (in)	16		15000	Line Tension (lb)	0
2.875	lcal (in)	7.875				



MIDWEST WIRELINE

Company Chris Batchman Inc
 Well MS 1
 Field
 County Barton
 State Kansas