



SONIC LOG

Company TREK AEC, LLC.
Well DUDREY #8-36
Field UNNAMED
County PRATT State KANSAS

Location: API #: 15-151-22549-0000
330' FNL & 2131' FWL
W2 - NE - SE - NW
SEC 36 TWP 29S RGE 12W
Permanent Datum GROUND LEVEL Elevation 1859
Log Measured From KELLY BUSHING 8' A.G.L
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 1867
D.F. 1865
G.L. 1859

Date	7/18/22		
Run Number	TWO		
Depth Driller	4825		
Depth Logger	4828		
Bottom Logged Interval	4820		
Top Log Interval	400		
Casing Driller	8 5/8" @ 435		
Casing Logger	435		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 2.000 PPM	
Density / Viscosity	8.7/42		
pH / Fluid Loss	9.5/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.30 @ 90F		
Rmf @ Meas. Temp	.975 @ 90F		
Rmc @ Meas. Temp	1.56 @ 90F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.951 @ 123F		
Time Circulation Stopped	5 HOURS		
Time Logger on Bottom	8:30 P.M.		
Maximum Recorded Temperature	123F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBEN		
Witnessed By	DAVID BARKER		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395

DIRECTIONS:


SOUTH OF SAWYER, KANSAS 7 MILES ON HIGHWAY 42, FOLLOW CURVE SOUTH 1 MILE THEN WEST ONE MILE, SOUTH INTO





MAIN SECTION


Database File	6759pe.db
Dataset Pathname	pass9.21
Presentation Format	_slt
Dataset Creation	Mon Jul 18 23:07:42 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			











1050


1100


1150

1200











1700


1750


1800


1850













2600

2650

2700

2750







2800


2850


2900


2950













3700


3750


3800


3850

















REPEAT SECTION

Database File 6759pe.db
 Dataset Pathname pass8R
 Presentation Format _slt
 Dataset Creation Mon Jul 18 23:03:22 2022
 Charted by Depth in Feet scaled 1:240





4550

4600

4650

4700

