

MICRO LOG



Company MAI OIL OPERATIONS, INC.
 Well S & S UNIT #1
 Field KRAFT - PRUSA
 County RUSSELL State KANSAS

Location: API #: 15-167-24123-0000
 2507' FNL & 618' FEL
 SW - SW - SE - NE
 SEC 36 TWP 15S RGE 12W
 Permanent Datum GROUND LEVEL Elevation 1836
 Log Measured From KELLY BUSHING 10' A.G.L.
 Drilling Measured From KELLY BUSHING
 Other Services CDL/CNL DIL/SON
 Elevation K.B: 1846 D.F: 1844 G.L: 1836

Date	6/20/22
Run Number	TWO
Depth Driller	3420
Depth Logger	3421
Bottom Logged Interval	3405
Top Log Interval	2200
Casing Driller	8 5/8" @ 721'
Casing Logger	721
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.4/54
pH / Fluid Loss	10.0/5.4
Source of Sample	FLOWLINE
Rm @ Meas. Temp	.750 @ 91F
Rmf @ Meas. Temp	.563 @ 91F
Rmc @ Meas. Temp	.900 @ 91F
Source of Rmf / Rmc	MEASURED
Rm @ BHT	.615 @ 111F
Time Circulation Stopped	3.5 HOURS
Time Logger on Bottom	9.45 P.M.
Maximum Recorded Temperature	111F
Equipment Number	8916
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	JIM MUSGROVE

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395
 DIRECTIONS:
 DUBUQUE, KS., 1/2 W. TO "198TH", 1N., 1/2E., S. INTO @ ORANGE GATE






MAIN SECTION


Database File 6568ddn.db
 Dataset Pathname pass6.3
 Presentation Format _micro
 Dataset Creation Mon Jun 20 22:42:10 2022
 Charted by Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		
















REPEAT SECTION

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report

Database File 6568ddn.db
 Dataset Pathname pass6.3
 Dataset Creation Mon Jun 20 22:42:10 2022

MICRO Calibration Report

Serial Number: MICRO6
 Tool Model: PROBE
 Performed: Mon Jun 20 21:59:08 2022

Caliper Calibration: Gain=4.444 Offset=2.667

	Low Cal	High Cal
References	8.000	16.000
Readings	1.200	3.000

1.5" Calibration: Gain=44.000 Offset=-0.500

	Low Cal	High Cal
References	0.000	20.000
Readings	0.002	0.624

2" Calibration: Gain=45.000 Offset=-0.200

	Low Cal	High Cal
References	0.000	20.000
Readings	0.006	0.468

Gamma Ray Calibration Report

Serial Number: GR5
 Tool Model: OPEN
 Performed: Wed Jun 08 19:20:19 2022

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
 Calibrator Reading: 1.0 cps

Sensitivity: 0.5800 GAPI/cps