



SONIC LOG

Company	McCOY PETROLEUM CORPORATION	Company	McCOY PETROLEUM CORPORATION
Well	NORRIS "A" #1-19	Well	NORRIS "A" #1-19
Field	UNNAMED	Field	UNNAMED
County	SUMNER	County	SUMNER
State	KANSAS	State	KANSAS
Location:	API # : 15-191-22844-0000 1980' FSL & 990' FWL E/2 - NW - SW	Permanent Datum Log Measured From Drilling Measured From	GROUND LEVEL Elevation 1171 KELLY BUSHING 12' A.G.L. KELLY BUSHING
	SEC 9 TWP 33S RGE 1E		
		Other Services CDL/CNL/PE DIL/MEL	
		Elevation K.B. 1183 D.F. 1181 G.L. 1171	
Date	6/28/22		
Run Number	TWO		
Depth Driller	4200		
Depth Logger	4200		
Bottom Logged Interval	4192		
Top Log Interval	200		
Casing Driller	8 5/8"@253'		
Casing Logger	268		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES: 1,800 PPM	
Density / Viscosity	9.0/49		
pH / Fluid Loss	10.5/10.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.10@98F		
Rmf @ Meas. Temp	.825@98F		
Rmc @ Meas. Temp	1.32@98F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.914@118F		
Time Circulation Stopped	6 HOURS		
Time Logger on Bottom	4:00 P.M.		
Maximum Recorded Temperature	118F		
Equipment Number	8916		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	DAVE WILLIAMS		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395
DIRECTIONS:
WELLINGTON, KS., (JUNCTION HWY 160 & 81) 3 1/2S. TO "RD. E60TH", 3E. TO "SENECA RD.", 1S.,
E. OVER TURNPIKE, N. INTO@ GREEN GATES







MAIN SECTION


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	MELCAL (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			












1050


1100

1150

1200

1250







1300

1350

1400

1450








1500


1550


1600


1650























3050


3100

3150

3200









3500

3550

3600

3650







3700

3750

3800

3850






3900


3950

4000

4050



4100







REPEAT SECTION

Database File 6574pe.db
 Dataset Pathname pass5.1R
 Presentation Format _slt
 Dataset Creation Tue Jun 28 17:31:25 2022
 Charted by Depth in Feet scaled 1:240







3850

3900

3950

4000

