



QUAD COMBO LOG

Company	BEREXCO, LLC.	Company	BEREXCO, LLC.
Well	ISABELLE #2-19	Well	ISABELLE #2-19
Field	RED WOOD	Field	RED WOOD
County	FINNEY	County	FINNEY
State	KANSAS	State	KANSAS
Location:	API # : 15-055-22565-0000 2309' FNL & 335' FEL NW - SE - SE - NE	Other Services CDL/CNL/PE DIL/MEL/SON	
Permanent Datum	GROUND LEVEL	Elevation	2971
Log Measured From	KELLY BUSHING 12' A.G.L.	K.B. 2983 D.F. 2981 G.L. 2971	
Drilling Measured From	KELLY BUSHING		
Date	7/28/22		
Run Number	ONE		
Depth Driller	4950		
Depth Logger	4948		
Bottom Logged Interval	4946		
Top Log Interval	3700		
Casing Driller	8 5/8"@1038'		
Casing Logger	1038		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3,200 PPM	
Density / Viscosity	9.4/55		
pH / Fluid Loss	10.5/8.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.900@92F		
Rmf @ Meas. Temp	.675@92F		
Rmc @ Meas. Temp	1.08@92F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.662@125F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom	9.45 P.M.		
Maximum Recorded Temperature	125F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	BRYAN BYNOG		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-055-22565-0000


Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
GARDEN CITY, KS., (HWY 50 & 83) 10W. ON HWY 50 TO "BYRD RD.", 2 1/4 N., W. INTO








MAIN SECTION


Database File		6344pe.db							
Dataset Pathname		pass3.1L							
Presentation Format		obrcompcol							
Dataset Creation		Fri Jul 29 02:23:55 2022							
Charted by		Depth in Feet scaled 1:240							
0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	Sonic Porosity (pu)	-10
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10
-200	RxoRt	100	0 20	0.2	Shallow Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10
6	DCAL (in)	16	MEL20				0	PE	20
6	MELCAL (in)	16	(Ohm-m)				RHOC		
			0 20				-0.25 (g/cc) 0.25		














0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	Sonic Porosity (pu)	-10	
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10	
200	Density Porosity (pu)	100	0	20	0.2	Shallow Resistivity (Ohm-m)	200	20	Density Porosity (pu)	10

-200	Rx0rt	100	0	20	0.2	Shallow Resistivity (Ohm-m)	200	50	Density Porosity (pu)	-10
6	DCAL (in)	16	MEL20					0	PE	20
6	MELCAL (in)	16	(Ohm-m)						RHOC	
			0	20					-0.25 (g/cc)	0.25