

DUAL RECEIVER CEMENT BOND LOG

Company		PALOMINO PETROLEUM, INC.		Company		PALOMINO PETROLEUM, INC.	
Well		CASABLANCA #2		Well		CASABLANCA #2	
Field		UNNAMED		Field		UNNAMED	
County		SCOTT		County		SCOTT	
State		KANSAS		State		KANSAS	
Location:		2293' FSL & 339' FEL		API # : 15-171-21288		Other Services	
Permanent Datum		GROUND LEVEL		Elevation		3002'	
Log Measured From		KELLY BUSHING 11' A.G.L.		K.B. 3013'		D.F. 3011'	
Drilling Measured From		KELLY BUSHING		G.L. 3002'			
Date		JUNE 24, 2022					
Run Number		ONE					
Depth Driller		4910'					
Depth Logger		4842'					
Bottom Logged Interval		4841'		2305'			
Top Log Interval		2750'		200'			
Open Hole Size		///					
Type Fluid		WATER					
Density / Viscosity		///					
Max. Recorded Temp.		120F					
Estimated Cement Top		2820'					
Time Well Ready		///					
Time Logger on Bottom		///					
Equipment Number		PT-09					
Location		HAYS					
Recorded By		BOB KLAUS					
Witnessed By		LYNN BOWNES					
Borehole Record		Tubing Record					
Run Number	Bit	From	To	Size	Weight	From	To
ONE	12.25"	0	226'				
TWO	7.875"	226'	4910'				
Casing Record		Size		Wgt/Ft		Top	
Surface String		8 5/8"				0	
Prot. String							
Production String		5 1/2"		15.5#		0	
Liner						4891'	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANK YOU FOR USING
PERF-TECH WIRELINE SERVICES, INC.
785-628-3969

DIRECTIONS: SCOTT CITY, Ks.
SOUTH to 40 Rd, 7 1/2 WEST,
SOUTH & EAST to well

Database File: june242209.db
Dataset Pathname: pass4
Presentation Format: 3x5
Dataset Creation: Fri Jun 24 09:23:28 2022 by Log Std Casedhole 06040
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	0	3' AMPLITUDE (mV)	100	200	5' Variable Density	1100
			475	3' TRAVEL TIME (usec)	235			
			9	Collar Locator	-1			








400

450

500

550







600


650

700

750

800








850

900

950

1000







1050


1100

1150

1200

1250








1300

1350

1400

1450








1500

1550

1600

1650







1700


1750

1800

1850

1900








1950

2000


2050


2100








0	Gamma Ray (GAPI)	150	0	3' AMPLITUDE (mV)	100	200	5' Variable Density	1100
			475	3' TRAVEL TIME (usec)	235			
			9	Collar Locator	-1			


















3850


3900


3950


4000












Perf-Tech
Wireline Services, Inc.

REPEAT SECTION

Database File: june242209.db
Dataset Pathname: pass2
Presentation Format: 3x5
Dataset Creation: Fri Jun 24 08:45:32 2022 by Log Std Casedhole 06040
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	0	3' AMPLITUDE (mV)	100	200	5' Variable Density	1100
			475	3' TRAVEL TIME (uSec)	235			
			9	Collar Locator	-1			





4650

4700

4750

4800



0	Gamma Ray (GAPI)	150	0	3' AMPLITUDE (mV)	100	200	5' Variable Density	1100
			475	3' TRAVEL TIME (usec)	235			
			9	Collar Locator	-1			