



MICRO LOG

Company ABERCROMBIE ENERGY, LLC.

Well #1-6 VASQUEZ

Field UNNAMED

County TREGO State KANSAS

Location: API #: 15-195-23145-0000
770' FSL & 1010' FEL
SW - NW - SE - SE

SEC 6 TWP 13S RGE 23W

Permanent Datum GROUND LEVEL Elevation 2453

Log Measured From KELLY BUSHING 5' A.G.L.

Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL/PE
DIL

Elevation
K.B. 2458
D.F. 2456
G.L. 2453

Date 8/16/22

Run Number TWO

Depth Driller 4400

Depth Logger 4400

Bottom Logged Interval 4384

Top Log Interval 3600

Casing Driller 8 5/8" @ 218'

Casing Logger 218

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.1/55

pH / Fluid Loss 10.0/6.0

Source of Sample FLOWLINE

Rm @ Meas. Temp .900 @ 84F

Rmf @ Meas. Temp .675 @ 84F

Rmc @ Meas. Temp 1.08 @ 84F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .630 @ 120F

Time Circulation Stopped 4 HOURS

Time Logger on Bottom 5:30 P.M.

Maximum Recorded Temperature 120F

Equipment Number 922339

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By KEVIN KESSLER

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-195-23145-0000


Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
WAKEENEY, KS.(I-70 & HWY 283) 5S. ON HWY 283, 1 1/4W., N. INTO






MAIN SECTION

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		













REPEAT SECTION

Database File 6903pe.db
Dataset Pathname pass6.1
Presentation Format micro
Dataset Creation Tue Aug 16 17:40:11 2022
Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0 0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		





Calibration Report			
Database File	6903pe.db		
Dataset Pathname	pass7.1		
Dataset Creation	Tue Aug 16 18:02:36 2022		
MICRO Calibration Report			
Serial Number:	070910		
Tool Model:	ProbeN		
Performed:	Sat Aug 13 19:28:55 2022		
Caliper Calibration:	Gain=4.571	Offset=0.914	
	Low Cal	High Cal	
References	8.000	16.000	
Readings	1.550	3.300	
1.5" Calibration:	Gain=38.000	Offset=0.000	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.000	1.216	
2" Calibration:	Gain=65.000	Offset=-1.000	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.002	1.053	
Gamma Ray Calibration Report			
Serial Number:	070558		
Tool Model:	OPEN_GR		
Performed:	Tue Aug 16 14:40:27 2022		
Calibrator Value:	1.0	GAPI	
Background Reading:	0.0	cps	
Calibrator Reading:	1.0	cps	
Sensitivity:	0.3000	GAPI/cps	