



TRIPLE COMBO LOG

Company	RITCHIE EXPLORATION, INC.	
Well	ELLIS 23D #4	
Field	BRIDGES	
County	LOGAN	State KANSAS
Location:	API # : 15-109-21639-0000 5' FNL & 119' FWL S2 - S2 - SE	
Permanent Datum	SEC 23 TWP 14S RGE 32W	Other Services CDL/CNL/DIL MEL/SON
Log Measured From	GROUND LEVEL Elevation 2761	Elevation K.B. 2768 D.F. 2766 G.L. 2761
Drilling Measured From	KELLY BUSHING	
Date	7/12/22	
Run Number	ONE	
Depth Driller	4490	
Depth Logger	4490	
Bottom Logged Interval	4466	
Top Log Interval	3300	
Casing Driller	8 5/8" @ 220	
Casing Logger	220	
Bit Size	7 7/8	
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4.500 PPM
Density / Viscosity	9.7773	
pH / Fluid Loss	9.0/10.4	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	.800 @ 75F	
Rmt @ Meas. Temp	.600 @ 75F	
Rmc @ Meas. Temp	.960 @ 75F	
Source of Rmf / Rmc	MEASUREMENT	
Rm @ BHT	.500 @ 120F	
Time Circulation Stopped	2 HOURS	
Time Logger on Bottom	10:30 A.M.	
Maximum Recorded Temperature	120F	
Equipment Number	3802	
Location	HAYS, KANSAS	
Recorded By	COLE ROBEN	
Witnessed By	KENT MATSON	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS:
FROM OAKLEY, KANSAS GO 20 MILES SOUTH TO JAYHAWK ROAD, THEN 1 MILE EAST,
1 MILE SOUTH, WEST INTO



TRIPLE COMBO

Database File	6755ddn.db
Dataset Pathname	pass3RITCH
Presentation Format	_ritchiecomp
Dataset Creation	Tue Jul 12 13:16:19 2022
Charted by	Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	MEL15	30	CN Porosity (pu)	-10	0.2	Deep Resistivity (Ohm-m)	2000
-100	SP (mV)	100	(Ohm-m)	30	Density Porosity (pu)	-10		Medium Resistivity	
-200	RxoRt	100	0	20		RHOC	0.2	(Ohm-m)	2000
6	MELCAL (in)	16	MEL20			-0.25 (g/cc) 0.25		Shallow Resistivity	
			(Ohm-m)				0.2	(Ohm-m)	2000
			0	20					











