

DUAL RECEIVER CEMENT BOND LOG

Company		PALOMINO PETROLEUM, INC.	
Well		RODEO TIME #1	
Field		WILDCAT	
County		NESS	
State		KANSAS	
Company		PALOMINO PETROLEUM, INC.	
Well		RODEO TIME #1	
Field		WILDCAT	
County		NESS	
State		KANSAS	
Location:		API # : 15-135-26184-0000	
SEC 20 TWP 16S RGE 26W		1642' FSL & 394' FEL	
Permanent Datum		GROUND LEVEL	
Log Measured From		KELLY BUSHING 8' A.G.L.	
Drilling Measured From		KELLY BUSHING	
Elevation		2648'	
Date		AUG. 23, 2022	
Run Number		ONE	
Depth Driller		4690'	
Depth Logger		4640'	
Bottom Logged Interval		4639'	
Top Log Interval		2800'	
Open Hole Size		///	
Type Fluid		WATER	
Density / Viscosity		///	
Max. Recorded Temp.		117F	
Estimated Cement Top		3130'	
Time Well Ready		///	
Time Logger on Bottom		///	
Equipment Number		PT-09	
Location		HAYS	
Recorded By		BOB KLAUS	
Witnessed By		JOE RUPP	
Borehole Record		Tubing Record	
Run Number	Bit	From	To
ONE	12.25"	0	692'
TWO	7.875"	692'	4690'
Casing Record	Size	Wgt/Ft	Top
Surface String	8 5/8"		0
Prot. String			
Production String	5 1/2"	14#	0
Liner			4687'

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR USING
PERF-TECH WIRELINE SERVICES, INC.
785-628-3969

DIRECTIONS: UTICA, Ks.
2 WEST to B Rd,
1/4 NORTH, WEST into

Database File: aug232209.db
Dataset Pathname: pass4
Presentation Format: 3x5
Dataset Creation: Tue Aug 23 09:09:31 2022 by Log Std Casedhole 06040
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	0	3' AMPLITUDE (mV)	100	200	5' Variable Density	1100
			475	3' TRAVEL TIME (usec)	235			
			9	Collar Locator	-1			





Perf-Tech
Wireline Services, Inc.

MAIN PASS

Database File: aug232209.db
Dataset Pathname: pass3
Presentation Format: 3x5
Dataset Creation: Tue Aug 23 08:37:54 2022 by Log Std Casedhole 06040
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	0	3' AMPLITUDE (mV)	100	200	5' Variable Density	1100
			475	3' TRAVEL TIME (usec)	235			
			9	Collar Locator	-1			






3000

3050


3100


3150

3200



Top of Cement








3250

3300

3350

3400







3450


3500

3550

3600

3650








3700

3750

3800

3850








3900

3950

4000

4050







4100




4150


4200

4250

4300







Perf-Tech
Wireline Services, Inc.

REPEAT SECTION

Database File: aug232209.db
Dataset Pathname: pass2
Presentation Format: 3x5
Dataset Creation: Tue Aug 23 08:27:50 2022 by Log Std Casedhole 06040
Charted by: Depth in Feet scaled 1:240

