SONIC LOG

Company MULL DRILLING COMPANY, INC.
Well BBT #1-25
Field WHITNEY
County GOVE
State KANSAS

Company MULL DRILLING COMPANY, INC.
Well BBT #1-25
Field WHITNEY
County GOVE State KANSAS

Location: API # : 15-063-22414-0000
1192' FNL & 727' FWL
SW - SE - NW - NW
SEC 25 TWP 15S RGE 27W

Other Services
CDL/CNL/PE
DIL/MEL

Permanent Datum GROUND LEVEL Elevation 2451
Log Measured From KELLY BUSHING 7' A.G.L
Drilling Measured From KELLY BUSHING

Elevation
K.B. 2458
D.F. 2456
G.L. 2451

Date	8/16/22			
Run Number	TWO			
Depth Driller	4455			
Depth Logger	4457			
Bottom Logged Interval	4449			
Top Log Interval	200			
Casing Driller	8 5/8" @ 263			
Casing Logger	263			
Bit Size	7 7/8			
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 5800 PPM		
Density / Viscosity	9.2/54			
pH / Fluid Loss	10.0/6.0			
Source of Sample	FLOWLINE			
Rm @ Meas. Temp	1.00 @ 75F			
Rmf @ Meas. Temp	.750 @ 75F			
Rmc @ Meas. Temp	1.20 @ 75F			
Source of Rmf / Rmc	MEASUREMENT			
Rm @ BHT	.620 @ 121F			
Time Circulation Stopped	4 HOURS			
Time Logger on Bottom	5:00 P.M.			
Maximum Recorded Temperature	121F			
Equipment Number	3802			
Location	HAYS, KANSAS			
Recorded By	COLE ROBBEN			
Witnessed By	BLAKE MILLER			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395


DIRECTIONS:
NORTH ON RED CHIEF ROAD FROM PENDENNIS, THEN EAST ON GOVE C ROAD 2 MILES
STRAIGHT ONTO LEASE ROAD, FOLLOW FOR 1.5 MILES TO LOCATION


MAIN SECTION


Database File	6771pe.db
Dataset Pathname	pass8.17
Presentation Format	_slt
Dataset Creation	Tue Aug 16 19:20:55 2022
Charted by	Depth in Feet scaled 1:240






400
450
500
550
600



650
700
750
800



850
900
950
1000



1050
1100
1150
1200
1250



1300
1350
1400
1450



1500
1550
1600
1650
1700



1750
1800
1850
1900



1950
2000
2050
2100



2150
2200
2250
2300
2350



2400
2450
2500
2550



2600
2650
2700
2750
2800



2850
2900
2950
3000



3050
3100
3150
3200



3250
3300
3350
3400
3450


3500
3550
3600
3650


3700
3750
3800
3850
3900



3950
4000
4050
4100



4150
4200
4250
4300



REPEAT SECTION

Database File	6771pe.db
Dataset Pathname	pass8MELR
Presentation Format	_slt
Dataset Creation	Tue Aug 16 19:02:52 2022
Charted by	Depth in Feet scaled 1:240




4300
4350
4400
4450
0 GAMMA RAY (GAPI) 150
6 CALIPER (in) 16
ABHV
10 (ft3) 0
TBHV
0 (ft3) 10
140 DELTA TIME (usec/ft) 40
30 SONIC POROSITY (pu) -10
0 ITT (msec) 20