



SONIC LOG

Company		MULL DRILLING COMPANY, INC.	
Well		WEEDEN #1-28	
Field		UNNAMED	
County		LYON	
State		KANSAS	
Location:		API # : 15-111-20558-0000 1740' FSL & 1499' FEL N/2, SW/4	
Permanent Datum		GROUND LEVEL Elevation 1232	
Log Measured From		KELLY BUSHING 6' A.G.L	
Drilling Measured From		KELLY BUSHING	
SEC 28 TWP 21S RGE 12E		Elevation K.B. 1238 D.F. 1236 G.L. 1232	
Date	6/16/22		
Run Number	TWO		
Depth Driller	2050		
Depth Logger	2047		
Bottom Logged Interval	2039		
Top Log Interval	20		
Casing Driller	8 5/8" @ 40'		
Casing Logger	50		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	N/A		
pH / Fluid Loss	N/A		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	3.50 @ 75F		
Rmf @ Meas. Temp	2.63 @ 75F		
Rmc @ Meas. Temp	4.20 @ 75F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	2.65 @ 99F		
Time Circulation Stopped	6 HOURS		
Time Logger on Bottom	6:30 P.M.		
Maximum Recorded Temperature	99F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBEN		
Witnessed By	BLAKE MILLER	RUSTY MOURNING	


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS


OLPE, KS. SOUTH ON KS-99, 3 MILES EAST ON RD. 30,
0.7 MILES SOUTH ON RD. R, EAST INTO






MAIN SECTION

Database File	6543pe.db
Dataset Pathname	pass6.1M
Presentation Format	_slt
Dataset Creation	Thu Jun 16 19:23:09 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			









450

500

550

600






650


700


750


800

850











1350
1400
1450
1500







1550

1600

1650

1700






1750



1800

1850

1900

1950





REPEAT SECTION

Database File 6543pe.db
 Dataset Pathname pass5.1R
 Presentation Format _slt
 Dataset Creation Thu Jun 16 19:17:12 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

