



SONIC LOG

Company		BEREXCO, LLC.	
Well		JAGQUART #2-1	
Field		U.S. 83	
County		HASKELL	
State		KANSAS	
Location:		API # : 15-081-22251-0000	
Permanent Datum		400' FSL & 830' FWL	
Log Measured From		NW - SE - SW - SW	
Drilling Measured From		SEC 1 TWP 29S RGE 33W	
Ground Level Elevation		2937	
K.B. 2949		Other Services	
D.F. 2947		CDL/CNL/PE	
G.L. 2937		DIL/MEL	
Date	7/18/22		
Run Number	TWO		
Depth Driller	5750		
Depth Logger	5748		
Bottom Logged Interval	5740		
Top Log Interval	1600		
Casing Driller	8 5/8"@1680'		
Casing Logger	1680		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3/65		
pH / Fluid Loss	10.0/8.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.30@85F		
Rmf @ Meas. Temp	.975@85F		
Rmc @ Meas. Temp	1.56@85F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.837@132F		
Time Circulation Stopped	5.5 HOURS		
Time Logger on Bottom	11:00 A.M.		
Maximum Recorded Temperature	132F		
Equipment Number	8916		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	BRYAN BYNOG		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395
DIRECTIONS:
SUBLETTE, KS., N. TO (HWY 83 & 160 JUNCTION), 1W., 1S., E. INTO






MAIN SECTION



Database File	6714pe.db
Dataset Pathname	pass6.7
Presentation Format	_slt
Dataset Creation	Mon Jul 18 13:07:10 2022
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			





















3100


3150

3200

3250

3300







3350

3400

3450

3500






3550



3600


3650

3700

3750









4000

4050

4100

4150






4200


4250

4300

4350

4400







4450


4500

4550

4600









4900


4950


5000


5050











REPEAT SECTION

Database File 6714pe.db
 Dataset Pathname pass5.3
 Presentation Format _slt
 Dataset Creation Mon Jul 18 12:44:25 2022
 Charted by Depth in Feet scaled 1:240

