



BOREHOLE COMPENSATED SONIC

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and Midwest Wireline LLC cannot and does not guarantee the accuracy or correctness of any interpretation, and Midwest Wireline LLC will not be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees.

Comments

N/A DENOTES NOT AVAILABLE OR NON-APPLICABLE.

Gove City, S to I Rd, 6 W to Rd 32,
5 S, 1 E, S into

Log Measured From: Kelly Bushing 10 Ft. Above Permanent Datum

THANK YOU FOR USING MIDWEST WIRELINE LLC
785-625-3858

Your Midwest Wireline Crew

This Log Record Was Witnessed By

Engineer: T. Martin
Operator:
Operator:
Operator:

Primary Witness: Chad Counts
Secondary Witness:
Secondary Witness:
Secondary Witness:

Log Variables

DatabaseC:\ProgramData\Warrior\Data\berexco_herman #1-13.db
Dataset field/well/Stack/pass3.1/_vars_

Top - Bottom

BOREID in 7.875	BOTTEMP degF 119	CASEOD in 5.5	CASETHCK in 0	FLUIDDEN g/cc 1	MATRXDEN g/cc 2.71	NPORSEL Limestone	PERFS No
SNDERR mmho/m 0	SNDERRM mmho/m -8	SPSHIFT mV 350	SRFTEMP degF 80	SZCOR Off	TDEPTH ft 4310		

Variable Description

BOREID : Borehole I.D.
BOTTEMP : Bottom Hole Temperature
CASEOD : Casing O.D.
CASETHCK : Casing Thickness
FLUIDDEN : Fluid Density
MATRXDEN : Matrix Density
NPORSEL : Neutron Porosity Curve Select

PERFS : Perforation Flag
SNDERR : Deep Sonde Error Correction
SNDERRM : Medium Sonde Error Correction
SPSHIFT : S.P. Baseline Offset
SRFTEMP : Surface Temperature
SZCOR : CN Size Cor. ?
TDEPTH : Total Depth




MIDWEST WIRELINE



DETAIL SECTION



MAIN PASS



Database File berexco_herman #1-13.db
Dataset Pathname Stack/pass3.1
Presentation Format _sonic
Dataset Creation Sat Aug 03 23:56:41 2024
Charted by Depth in Feet scaled 1:240



0	Gamma Ray (GAPI)	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	GR (GAPI)	300	5 (msec) 0	30	Sonic Porosity (pu) (pu)	-10
6	LCAL (in)	16		15000	Line Tension (lb)	0


























































3950


4000

4050

4100

4150







MIDWEST WIRELINE

REPEAT SECTION

REPEAT PASS

Database File berexco_herman #1-13.db
 Dataset Pathname Stack/pass2.1
 Presentation Format _sonic
 Dataset Creation Sat Aug 03 23:11:17 2024
 Charted by Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	GR (GAPI)	300	5 (msec) 0	30	Sonic Porosity (pu) (pu)	-10



 MIDWEST WIRELINE	Company	Berexco LLC
	Well	Herman #1-13
	Field	
	County	Gove
	State	Kansas