

MICRO LOG

Company	PALOMINO PETROLEUM, INC.	
Well	THE TIMES THEY ARE A CHANGIN #1	
Field	WILDCAT	
County	SCOTT	
State	KANSAS	
Company	PALOMINO PETROLEUM, INC.	
Well	THE TIMES THEY ARE A CHANGIN #1	
Field	WILDCAT	
County	SCOTT	
State	KANSAS	
Location:	API # : 15-171-21301-0000	Other Services
Permanent Datum	GROUND LEVEL	Elevation
Log Measured From	KELLY BUSHING 11' A.G.L.	2957
Drilling Measured From	KELLY BUSHING	Elevation
		K.B. 2968
		D.F. 2966
		G.L. 2957
Date	10/5/22	
Run Number	TWO	
Depth Driller	4890	
Depth Logger	4892	
Bottom Logged Interval	4890	
Top Log Interval	2100	
Casing Driller	8 5/8"@223'	
Casing Logger	223	
Bit Size	7 7/8"	
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3,200 PPM
Density / Viscosity	9.3/51	
pH / Fluid Loss	10.5/8.0	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	1.30@66F	
Rmf @ Meas. Temp	.975@66F	
Rmc @ Meas. Temp	1.56@66F	
Source of Rmf / Rmc	MEASUREMENT	
Rm @ BHT	.692@124F	
Time Circulation Stopped	4.5 HOURS	
Time Logger on Bottom	11:45 A.M.	
Maximum Recorded Temperature	124F	
Equipment Number	922339	
Location	HAYS, KANSAS	
Recorded By	JEFF LUEBBERS	
Witnessed By	RYAN SEIB	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-171-21301-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
SCOTT CITY, KS., S. ON HWY 83 TO(SCOTT/FINNEY)V COUNTY LINE, W. TO "FALCON RD.", 1/4N.,
W. INTO






MAIN SECTION

Database File	7088ddn.db
Dataset Pathname	pass7.7
Presentation Format	micro
Dataset Creation	Wed Oct 05 13:54:16 2022
Charted by	Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3) 10			









2650


2700

2750

2800









3100


3150


3200


3250



















4400

4450

4500

4550






4600


4650

4700

4750

4800







REPEAT SECTION

Database File 7088ddn.db
 Dataset Pathname pass6.2
 Presentation Format micro
 Dataset Creation Wed Oct 05 12:54:09 2022
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		





0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		

Calibration Report

Database File 7088ddn.db
Dataset Pathname pass7.7
Dataset Creation Wed Oct 05 13:54:16 2022

MICRO Calibration Report

Serial Number: 070910
Tool Model: ProbeN
Performed: Wed Oct 05 12:52:29 2022

Caliper Calibration:	Gain=4.706	Offset=0.471
	Low Cal	High Cal
References	8.000	16.000
Readings	1.600	3.300

1.5" Calibration:	Gain=45.000	Offset=1.000
	Low Cal	High Cal
References	0.000	20.000
Readings	0.000	1.216

2" Calibration:	Gain=58.000	Offset=0.500
	Low Cal	High Cal
References	0.000	20.000
Readings	0.002	1.053

Gamma Ray Calibration Report

Serial Number: 070559
Tool Model: OPEN_GR
Performed: Wed Sep 21 13:36:03 2022

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
Calibrator Reading: 1.0 cps

Sensitivity: 0.3200 GAPI/cps