



**MICRO
LOG**

Company THOROUGHbred ASSOCIATES LLC.
 Well WILSON TRUST #6-2
 Field UNNAMED
 County COMANCHE State KANSAS

Location: API #: 15-033-21795-0000
 1685' FNL & 961' FEL
 SE - NW - SE - NE
 SEC 6 TWP 32S RGE 18W
 Permanent Datum GROUND LEVEL Elevation 2118
 Log Measured From KELLY BUSHING 12' A.G.L.
 Drilling Measured From KELLY BUSHING
 Other Services
 CDL/CNL/PE
 DIL/SON
 Elevation
 K.B. 2130
 D.F. 2128
 G.L. 2118

Date	9/16/22		
Run Number	TWO		
Depth Driller	5973		
Depth Logger	5975		
Bottom Logged Interval	5959		
Top Log Interval	4100		
Casing Driller	8 5/8" @ 140		
Casing Logger	140		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8,900 PPM	
Density / Viscosity	9.4/48		
PH / Fluid Loss	10.0/10.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.850 @ 80F		
Rmt @ Meas. Temp	.638 @ 80F		
Rmc @ Meas. Temp	1.02 @ 80F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.507 @ 134F		
Time Circulation Stopped	4.5 HOURS		
Time Logger on Bottom	10:30 A.M.		
Maximum Recorded Temperature	134F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBBEN		
Witnessed By	AARON YOUNG		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395

DIRECTIONS:


FROM COLDWATER, KS. 1 MILE NORTH TO HIGHWAY 160/183, 1 MILE WEST, 1/2 MILE NORTH, WEST INTO




MAIN SECTION

Database File c:\users\user\desktop\7017pe.db
 Dataset Pathname pass7D
 Presentation Format _micro
 Dataset Creation Fri Sep 16 12:39:57 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		







4300


4350


4400


4450













5200

5250

5300

5350








5400


5450

5500

5550








REPEAT SECTION

Database File c:\users\user\desktop\7017pe.db
 Dataset Pathname pass6.1
 Presentation Format _micro
 Dataset Creation Fri Sep 16 12:20:23 2022

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			



0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			

Calibration Report

Database File C:\Users\User\Desktop\7017pe.db
 Dataset Pathname pass7D
 Dataset Creation Fri Sep 16 12:39:57 2022

MICRO_USR Calibration Report

Serial Number: 070911
 Tool Model: ProbeL
 Performed: Thu Aug 25 03:27:32 2022

Caliper Calibration: Gain=4.500 Offset=0.480
 References Low Cal High Cal
 8.000 14.000
 Readings 1.451 3.049

1.5" Calibration: Gain=27.000 Offset=-0.500
 References Low Cal High Cal
 0.000 20.000
 Readings 0.004 0.843

2" Calibration: Gain=18.000 Offset=1.500
 References Low Cal High Cal
 0.000 20.000
 Readings 0.021 0.810

Microlog Calibration Report

Serial-Model: 070911-ProbeL
 Performed: Sat May 14 04:48:25 2022

	Readings		V	References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0002	0.4836	V	0.0000	10.0000	Ohm-m	20.6908	-0.0051
Inverse	0.0018	0.6297	V	0.0000	10.0000	Ohm-m	15.9263	-0.0282
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000

Gamma Ray Calibration Report

Serial Number: 070558
 Tool Model: Probe1
 Performed: Sat Jul 02 05:55:58 2022

Calibrator Value: 1.0 GAPI
 Background Reading: 0.0 cps
 Calibrator Reading: 1.0 cps

Sensitivity: 0.2600 GAPI/cps

