



SONIC LOG

Company THOROUGHbred ASSOCIATES LLC.
 Well WILSON TRUST #6-2
 Field UNNAMED
 County COMANCHE State KANSAS

Location: API #: 15-033-21795-0000
 1685' FNL & 961' FEL
 SE - NW - SE - NE
 SEC 6 TWP 32S RGE 18W
 Permanent Datum GROUND LEVEL Elevation 2118
 Log Measured From KELLY BUSHING 12' A.G.L.
 Drilling Measured From KELLY BUSHING
 Other Services CDL/CNL/PE DIL/MEL
 Elevation K.B. 2130 D.F. 2128 G.L. 2118

| | |
|------------------------------|--------------|
| Date | 9/16/22 |
| Run Number | TWO |
| Depth Driller | 5973 |
| Depth Logger | 5975 |
| Bottom Logged Interval | 5967 |
| Top Log Interval | 650 |
| Casing Driller | 8 5/8" @ 140 |
| Casing Logger | 140 |
| Bit Size | 7 7/8 |
| Type Fluid in Hole | CHEMICAL MUD |
| Density / Viscosity | 9.4/48 |
| PH / Fluid Loss | 10.0/10.0 |
| Source of Sample | FLOWLINE |
| Rm @ Meas. Temp | .850 @ 80F |
| Rmt @ Meas. Temp | .638 @ 80F |
| Rmc @ Meas. Temp | 1.02 @ 80F |
| Source of Rmf / Rmc | MEASUREMENT |
| Rm @ BHT | .507 @ 134F |
| Time Circulation Stopped | 4.5 HOURS |
| Time Logger on Bottom | 10:30 A.M. |
| Maximum Recorded Temperature | 134F |
| Equipment Number | 3802 |
| Location | HAYS, KANSAS |
| Recorded By | COLE ROBBEN |
| Witnessed By | AARON YOUNG |

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395

DIRECTIONS:


FROM COLDWATER, KS. 1 MILE NORTH TO HIGHWAY 160/183, 1 MILE WEST, 1/2 MILE NORTH, WEST INTO





MAIN SECTION


Database File c:\users\user\desktop\7017pe.db
 Dataset Pathname pass7.5
 Presentation Format _slt
 Dataset Creation Fri Sep 16 13:19:05 2022
 Charted by Depth in Feet scaled 1:240

| | | | | | | | |
|---|------------------|-----|----------|------------|----------------------|---------------------|-----|
| 0 | GAMMA RAY (GAPI) | 150 | ABHV | 140 | DELTA TIME (usec/ft) | 40 | |
| 6 | CALIPER (in) | 16 | 10 (ft3) | 0 | 30 | SONIC POROSITY (pu) | -10 |
| | | | 0 | ITT (msec) | 20 | | |
| | | | 0 (ft3) | 10 | | | |











1300


1350

1400

1450









1750


1800


1850

1900











2400

2450

2500

2550







2600


2650


2700


2750


2800















3700


3750


3800

3850

3900









4150

4200

4250

4300






4350


4400


4450


4500


4550



















5700

5750

5800

5850





REPEAT SECTION

Database File c:\users\user\desktop\7017pe.db
 Dataset Pathname pass6.2
 Presentation Format _slt
 Dataset Creation Fri Sep 16 13:23:18 2022
 Charted by Depth in Feet scaled 1:240

| | | | | | | |
|---|------------------|-----|------------|-----|----------------------|-----|
| 0 | GAMMA RAY (GAPI) | 150 | ABHV | 140 | DELTA TIME (usec/ft) | 40 |
| 6 | CALIPER (in) | 16 | 10 (ft3) 0 | 30 | SONIC POROSITY (pu) | -10 |
| | | | TBHV | 0 | ITT (msec) | 20 |
| | | | 0 (ft3) 10 | | | |

