



MICRO LOG

Company BLACK ROCK RESOURCES, LLC.

Well FLORA #1-24

Field UNNAMED

County GOVE State KS

Location: API #: 15 063 22401

2310' FSL & 330' FEL

SEC 24 TWP 13S RGE 27W

Permanent Datum Ground Level Elevation 2438
Log Measured From KB 10' AGL
Drilling Measured From KB

Other Services
CDNL
DIL
Elevation
K.B. 2448
D.F. 2446
G.L. 2438

Date 7/12/22

Run Number TWO

Depth Driller 4370

Depth Logger 4370

Bottom Logged Interval 4368

Top Log Interval 3500

Casing Driller 8 5/8" @ 270'

Casing Logger 270

Bit Size 7 7/8"

Type Fluid in Hole Chemical

Density / Viscosity 9.1/57

pH / Fluid Loss 10.5/5.8

Source of Sample Pit

Rm @ Meas. Temp 1.7@70degf

Rmf @ Meas. Temp 1.3@70degf

Rmc @ Meas. Temp 2.04@70degf

Source of Rmf / Rmc Calculated

Rm @ BHT .98@110degf

Time Circulation Stopped 9:00 A.M.

Time Logger on Bottom 11:30 AM

Maximum Recorded Temperature 122degf

Equipment Number T605

Location Hays, KS

Recorded By GUS PFANENSTIEL

Witnessed By CHAD COUNTS

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SOUTH OF QUINTER TO GOVE O RD. WEST 1.5, NORTH INTO.


Thank You for using Gemini Wireline LLC
785-625-1182




MAIN PASS

Database File	brflora#1-24oh.db
Dataset Pathname	pass6.1
Presentation Format	kml
Dataset Creation	Tue Jul 12 13:30:46 2022
Charted by	Depth in Feet scaled 1:240

0	GR (GAPI)	150	0	MN 2" (Ohm-m)	20
6	MCAL (in)	16	0	MI 1" (Ohm-m)	20
6	BOREID (in)	16	10000	LTEN (lb)	0
0	MINMK	50			






3700


3750

3800

3850

3900






3900


3950

4000

4050

4100








4150

4200

4250




4300






REPEAT SECTION

Database File brflora#1-24oh.db
 Dataset Pathname pass5
 Presentation Format kml
 Dataset Creation Tue Jul 12 13:01:58 2022
 Charted by Depth in Feet scaled 1:240



4200

4250





0	MN 2" (Ohm-m)	20
0	MI 1" (Ohm-m)	20
10000	LTEN (lb)	0

Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps

Calibrator Reading:

nls

cps

Sensitivity:

0.8200

GAPI/cps